

Stockholm University

Department of Statistics

Bo Wallentin

Econometrics I

WRITTEN EXAMINATION

Monday January 08 2018, 15 – 20

Tools allowed: Pocket calculator

Passing rate. 50% of overall total, which 100 points. For detailed grading

Criteria, see the course description.

The exam will be handed back: Not decided

For the maximum number of points on each problem detailed and clear solutions are required.

If not indicated otherwise, the disturbance term u_i in the models are assumed to fulfill the usual requirements of normality, homoscedasticity and independence.

Task 1 (20 points)

Assume the model $Y_t = \beta_1 + \beta_2 t + u_t$, where $t = 1, 2, 3, \dots, T$ and that you want to estimate β_2 . You are suggested the following estimator:

$$b = \frac{Y_T - Y_1}{T-1},$$

that is the latest value of Y_1 (Y_T) minus its first value (Y_1) divided by $T-1$.

- A. Show that the estimator b is an unbiased estimator of β_2 . What assumption do you use in your derivation? Hint: Start by replacing Y_T and Y_1 with what they should be according to the model.
- B. Derive the variance of b assuming constant error variance (σ^2). Do you need any further assumptions in your derivation?
- C. Calculate the relative efficiency of the OLS-estimator of β_2 and the estimator b ($\text{Var}(\text{OLS-estimator of } \beta_2) / \text{Var}(b)$) when $T=5$.

Task 2 (30 points)

Below you find data on three variables (Y, X2 and X3), a correlation matrix and a regression output for the model 1: $Y = \beta_1 + \beta_2 X_2 + \beta_3 X_3 + u$.

- What is the value of R-sq(adj) for the simple linear regression of Y on X2? Why do you think it is larger than R-sq(adj) in the regression below?
- Perform a simultaneous test of whether the Model 1 can explain any of the variation in Y. Be careful when specifying the null and alternative hypothesis in terms of the Beta parameters, test statistic, degrees of freedom, decision rule and draw a conclusion of your test. Use significance level 5%.
- Are the individual parameter estimates significantly different from zero on the 5% level? Specify the null and alternative hypothesis in terms of the Beta parameters and the test statistic for each test and comment shortly on the result. How do you explain the difference in results between the test in task B) and the tests in this Task?
- Calculate the variance inflation factor for X2 in the regression below and present a short interpretation of the square root of your result.

Y	X2	X3
7	4	1
9	7	2
16	9	5
19	12	8
25	15	10
26	17	14
33	20	17

Correlations: Y; X2; X3;

	Y	X2
X2	0,990	
X3	0,983	0,989

Regression Analysis: Y versus X2; X3

The regression equation is $Y = 0,89 + 1,34 X_2 + 0,279 X_3$

Predictor	Coef	SE Coef	T	P
Constant	0,890	3,594	0,25	0,817
X2	1,3436	0,7948	1,69	0,166
X3	0,2791	0,7592	0,37	0,732

S = 1,62948 R-Sq = 98,0% R-Sq(adj) = 97,0%

Analysis of Variance

Source	DF	SS	MS
Regression	2	522,81	261,40
Residual Error	4	10,62	2,66
Total	6	533,43	

Source	DF	Seq SS	
X2	1	522,45	ESS when only X2 is used as explanatory variable
X3	1	0,36	Increase in ESS when X3 is added to X2

Task 3 (6 points)

Which two of the following statements are not correct for the classical linear regression model with an intercept $Y_i = \beta_1 + \beta_2 X_{2i} + u_i$

- a) $\sum \hat{u}_i = 0$
- b) $V(u_i) = \sigma^2$
- c) $E(u_i|X_i) = 0$
- d) $E(Y|X) = \beta_1 + \beta_2 X_{2i} + u_i$
- e) $E(u_i X_i) = 0$.
- f) $E(u_i u_j) = 0 \quad i \neq j$

Task 4 (34 points)

Background:

At a consultation the following question was presented: Has the Swedish municipalities provision of energy advice any effect on the Swedish households electricity consumption? Assume that you make an econometric study of this question by estimating the following model:

Model specification and definition of variables

$$\ln\left(\frac{D_{i98}}{F_{i98}}\right) = \beta_1 + \beta_2 \ln Y_{i98} + \beta_3 \ln Price_{i98} + \beta_4 T_{i98} + \beta_5 T_{i98}^2 + \beta_6 I2_{i98} + \beta_7 I3_{i98} + u_{i98}$$

where

D_{i98} = consumption of electricity for housing (cottage include) (Mwh) in municipality i year 1998, source Statistics Sweden.

F_{i98} = means population in municipality i year 1998, source Statistics Sweden.

Y_{i98} = mean income in thousands SEK in municipality i year 1998, source Statistics Sweden.

$Price_{i98}$ = price on electricity in municipality i , "öre" per kwh (tax and VAT included), at the suppliers of electricity that are listed in "Fastigheten Nils Holgerssons underbara resa genom Sverige – En avgiftsstudie" year 1998.

T_{i98} = mean temperature year 1998 in closest measurement point in municipality i , source SMHI.

The information variables (in the model I_{2i98} and I_{3i98}) have been constructed from Sycons Evaluation of the energy advice in different municipalities. Three categories have been constructed according to:

- Category 1 ($I_{2i98} = 0, I_{3i98} = 0$): "No or little volume of advice" has been given.
- Category 2 ($I_{2i98} = 1, I_{3i98} = 0$): middle category.
- Category 3 ($I_{2i98} = 0, I_{3i98} = 1$): " Fairly large or large volume of advice" has been given.

The following has effected the classification: How long time the energy advice service has been provided during year 98, whether the allocation to energy advice service fall below, corresponded to or exceeded allocated fund from the Swedish Energy Agency, a qualitative judgement of energy saving activities.

About 62% of the 242 in the study included municipalities fell into category 1, 18% in category 2 and 20% in category 3.

Tasks

- A) Interpret the parameter β_3 .
- B) Interpret the parameter β_7 .
- C) "At a formal test of the hypothesis that the energy advice has no effect on the household consumption of electricity, given the other regressors in the model, an F-value of 1,0924 was obtained. Carry out the test by first specifying the null and alternative hypothesis (in terms of the Beta parameters of the model), then present the test statistic with assumptions, degrees of freedom, decision rule (rejection region), result and a conclusion.
- D) When testing for potential heteroscedasticity the regression of squared residuals (from the estimation of the model presented earlier) against all regressors and all regressors squared, the squared dummy variables were excluded by the software. Why?
- E) The R^2 from the regression in Task D) became 5,8%. Carry out the test of heteroscedasticity described in Task D.

Task 5 (10 points)

When estimating the regression model $Y_i = \beta_1 + \beta_2 X_{2i} + u_i$ with OLS it is assumed that the estimated regression line must go through the point $(Y_0=5, X_0=5)$. Given the small data set below, calculate the OLS-estimates of β_1 and β_2 under this assumption. Hint: Transform the data so you can use results from the no intercept model (see below).

Y	X
3	2
6	8
7	5
7	7
7	8

The OLS-estimator of the parameter β in the no intercept model $Y_i = \beta X_i + u_i$ is

$$\hat{\beta} = \frac{\sum Y_i X_i}{\sum X_i^2}.$$

Formula sheet, Econometrics I, Fall 2017

Under the simple linear model $Y_i = \beta_1 + \beta_2 X_i + u_i$, where $u_i \sim N(0, \sigma^2)$ and given independent pairs of observations $(Y_1, X_1), \dots, (Y_n, X_n)$, the OLS estimators are:

$$\begin{aligned}\hat{\beta}_1 &= \bar{Y} - \hat{\beta}_2 \bar{X} \\ \hat{\beta}_2 &= \frac{\sum (X_i - \bar{X})(Y_i - \bar{Y})}{\sum (X_i - \bar{X})^2} \\ \hat{\sigma}^2 &= \frac{RSS}{n-2} = \frac{\sum (Y_i - \hat{Y}_i)^2}{n-2}\end{aligned}$$

where $\hat{Y}_i = \hat{\beta}_1 + \hat{\beta}_2 X_i$ and where $E(\hat{\beta}_1) = \beta_1$, $E(\hat{\beta}_2) = \beta_2$ and $E(\hat{\sigma}^2) = \sigma^2$ and further

$$\begin{aligned}V(\hat{\beta}_1) &= \frac{\sum X_i^2}{n \sum (X_i - \bar{X})^2} \sigma^2 \\ V(\hat{\beta}_2) &= \frac{\sigma^2}{\sum (X_i - \bar{X})^2} \\ V(\hat{Y}_0) &= \sigma^2 \left(\frac{1}{n} + \frac{(X_0 - \bar{X})^2}{\sum (X_i - \bar{X})^2} \right) \\ V(Y_0 - \hat{Y}_0) &= \sigma^2 \left(1 + \frac{1}{n} + \frac{(X_0 - \bar{X})^2}{\sum (X_i - \bar{X})^2} \right)\end{aligned}$$

Distributional results:

$$\begin{aligned}\frac{\hat{\beta}_i - \beta_i}{\text{st}(\hat{\beta}_i)} &\sim t(n-2), \quad i = 1, 2 \\ \frac{\hat{\sigma}^2(n-2)}{\sigma^2} &\sim \chi^2(n-2)\end{aligned}$$

Coefficient of determination:

$$r^2 = \frac{ESS}{TSS} = 1 - \frac{RSS}{TSS} = 1 - \frac{\sum (Y_i - \hat{Y}_i)^2}{\sum (Y_i - \bar{Y})^2}$$

Coefficient of correlation:

$$r = \frac{\sum (X_i - \bar{X})(Y_i - \bar{Y})}{\sqrt{\sum (X_i - \bar{X})^2 \sum (Y_i - \bar{Y})^2}}$$

where $r = \pm\sqrt{r^2}$

If we let $Y_i^* = w_1 Y_i$ and $X_i^* = w_2 X_i$, then

$$\hat{\beta}_1^* = w_1 \hat{\beta}_1, \quad \hat{\beta}_2^* = \left(\frac{w_1}{w_2}\right) \hat{\beta}_2, \quad \hat{\sigma}^{*2} = w_1^2 \hat{\sigma}^2$$

Under the multiple linear regression model $Y_i = \beta_1 + \beta_2 X_{2i} + \dots + \beta_k X_{ki} + u_i$, where $u_i \sim N(0, \sigma^2)$ and given independent vectors of observations $(Y_1, X_{21}, \dots, X_{k1}), \dots, (Y_n, X_{2n}, \dots, X_{kn})$, the following holds for the OLS estimators:

$$\hat{\sigma}^2 = \frac{RSS}{n-k} = \frac{\sum (Y_i - \hat{Y}_i)^2}{n-k}$$

$$\frac{\hat{\beta}_i - \beta_i}{se(\hat{\beta}_i)} \sim t(n-k), \quad i = 1, \dots, k$$

$$\frac{\hat{\sigma}^2 (n-k)}{\sigma^2} \sim \chi^2(n-k)$$

The multiple coefficient of determination:

$$R^2 = \frac{ESS}{TSS} = 1 - \frac{RSS}{TSS} = 1 - \frac{\sum (Y_i - \hat{Y}_i)^2}{\sum (Y_i - \bar{Y})^2}$$

Adjusted:

$$\bar{R}^2 = 1 - \frac{RSS/(n-k)}{TSS/(n-1)}$$

Testing $H_0: \beta_2 = \dots = \beta_k = 0$:

$$F = \frac{ESS/(k-1)}{RSS/(n-k)} = \frac{\sum (\hat{Y}_i - \bar{Y})^2 / (k-1)}{\sum (Y_i - \hat{Y}_i)^2 / (n-k)}$$

Comparing an "old" model with a "new" (larger):

$$F = \frac{(ESS_{new} - ESS_{old}) / \text{number of new regressors}}{RSS_{new} / (n - \text{number of parameters in the new model})}$$

$$= \frac{(R_{new}^2 - R_{old}^2) / \text{number of new regressors}}{(1 - R_{new}^2) / (n - \text{number of parameters in the new model})}$$

Comparing an "unrestricted" model with a "restricted":

$$F = \frac{(RSS_R - RSS_{UR})/m}{RSS_{UR}/(n-k)} = \frac{(R_{UR}^2 - R_R^2)/m}{(1 - R_{UR}^2)/(n-k)}$$

where m is the number of linear constraints and k is the number of parameters in the unrestricted model.

Variance inflation factor:

$$VIF_j = \frac{1}{1 - R_j^2}$$

Auxiliary regression:

$$F_j = \frac{R_j^2/(k-2)}{(1 - R_j^2)/(n-k+1)}$$

where $R_j^2 = R^2$ in the regression of x_j on the remaining $(k-2)$ regressors.

Tests of heteroscedasticity: (all test statistics are evaluated under the null hypothesis of no heteroscedasticity)

White's test: Regress \hat{u}_i^2 against the $k-1$ regressors and the squares of these.
Test statistic: $nR^2 \stackrel{appr}{\sim} \chi^2(2(k-1))$

Glejser test: Regress $|\hat{u}_i|$ against the regressor X_j (one regressor at a time)
Test statistic: t -test of the slope

Park test: Regress $\ln \hat{u}_i^2$ against the regressor $\ln X_j$, (one regressor at a time)
Test statistic: t -test of the slope

Goldefeld Quandt test of equal variances in two separate regressions:

Test statistic: $\frac{S_1^2}{S_2^2} \sim F(n_1 - k_1, n_2 - k_2)$

Tests of autocorrelation:

The Runs test: For R = number of runs, where $N = N_1 + N_2$ total number of observations:

$$E(R) = \frac{2N_1N_2}{N} + 1$$

$$V(R) = \frac{2N_1N_2(2N_1N_2 - N)}{N^2(N-1)}$$

The Durbin Watson d statistic:

$$d = \frac{\sum_{t=2}^n (\hat{u}_t - \hat{u}_{t-1})^2}{\sum_{t=1}^n \hat{u}_t^2}$$

Breusch Godfrey test: Null hypothesis: $H_0: \rho_1 = \rho_2 = \dots = \rho_K = 0$

Test statistic: nR^2 from the regression of \hat{u}_t on the regressors which have produced \hat{u}_t plus lagged \hat{u}_t up to lag K .

n = the number of observations used in this regression.

The test statistic is approximately $\chi^2(K)$

Akaike's information criterion:

$$AIC = \frac{e^{2k/n} RSS}{n}$$

Schwartz's information criterion:

$$SIC = \frac{n^{k/n} RSS}{n}$$

Mallow's C_p criterion:

$$C_p = \frac{RSS_p}{\hat{\sigma}^2} - (n - 2p)$$


Logistic regression (logit model):

$$P(Y = 1) = \frac{1}{1 + e^{-(\beta_1 + \beta_2 X_2 + \dots + \beta_k X_k)}} \quad \ln\left(\frac{P(Y = 1)}{1 - P(Y = 1)}\right) = \beta_1 + \beta_2 X_2 + \dots + \beta_k X_k$$

TABLE D.1
Areas Under the
Standardized Normal
Distribution

Example

$\Pr(0 \leq Z \leq 1.96) = 0.4750$
 $\Pr(Z \geq 1.96) = 0.5 - 0.4750 = 0.025$



Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4454	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990

Note: This table gives the area in the right-hand tail of the distribution (i.e., $Z \geq 0$). But since the normal distribution is symmetrical about $Z = 0$, the area in the left-hand tail is the same as the area in the corresponding right-hand tail. For example, $\Pr(-1.96 \leq Z \leq 0) = 0.4750$. Therefore, $\Pr(-1.96 \leq Z \leq 1.96) = 2(0.4750) = 0.95$.

TABLE D.2
Percentage Points of
the *t* Distribution


Source: From F. S. Pearson and H. O. Hartley, eds., *Biometrika Tables for Statisticians*, Vol. 1, 3rd ed., table 12, Cambridge University Press, New York, 1960. Reproduced by permission of the editors and trustees of *Biometrika*.

Example

$\Pr(t > 2.086) = 0.025$

$\Pr(t > 1.725) = 0.05$ for $df = 20$

$\Pr(|t| > 1.725) = 0.10$



Pr df	0.25 0.50	0.10 0.20	0.05 0.10	0.025 0.05	0.01 0.02	0.005 0.010	0.001 0.002
1	1.000	3.078	6.314	12.706	31.821	63.657	318.31
2	0.816	1.886	2.920	4.303	6.965	9.925	22.327
3	0.765	1.638	2.353	3.182	4.541	5.841	10.214
4	0.741	1.533	2.132	2.776	3.747	4.604	7.173
5	0.727	1.476	2.015	2.571	3.365	4.032	5.893
6	0.718	1.440	1.943	2.447	3.143	3.707	5.208
7	0.711	1.415	1.895	2.365	2.998	3.499	4.785
8	0.706	1.397	1.860	2.306	2.896	3.355	4.501
9	0.703	1.383	1.833	2.262	2.821	3.250	4.297
10	0.700	1.372	1.812	2.228	2.764	3.169	4.144
11	0.697	1.363	1.796	2.201	2.718	3.106	4.025
12	0.695	1.356	1.782	2.179	2.681	3.055	3.930
13	0.694	1.350	1.771	2.160	2.650	3.012	3.852
14	0.692	1.345	1.761	2.145	2.624	2.977	3.787
15	0.691	1.341	1.753	2.131	2.602	2.947	3.733
16	0.690	1.337	1.746	2.120	2.583	2.921	3.686
17	0.689	1.333	1.740	2.110	2.567	2.898	3.646
18	0.688	1.330	1.734	2.101	2.552	2.878	3.610
19	0.688	1.328	1.729	2.093	2.539	2.861	3.579
20	0.687	1.325	1.725	2.086	2.528	2.845	3.552
21	0.686	1.323	1.721	2.080	2.518	2.831	3.527
22	0.686	1.321	1.717	2.074	2.508	2.819	3.505
23	0.685	1.319	1.714	2.069	2.500	2.807	3.485
24	0.685	1.318	1.711	2.064	2.492	2.797	3.467
25	0.684	1.316	1.708	2.060	2.485	2.787	3.450
26	0.684	1.315	1.706	2.056	2.479	2.779	3.435
27	0.684	1.314	1.703	2.052	2.473	2.771	3.421
28	0.683	1.313	1.701	2.048	2.467	2.763	3.408
29	0.683	1.311	1.699	2.045	2.462	2.756	3.396
30	0.683	1.310	1.697	2.042	2.457	2.750	3.385
40	0.681	1.303	1.684	2.021	2.423	2.704	3.307
60	0.679	1.296	1.671	2.000	2.390	2.660	3.232
120	0.677	1.289	1.658	1.980	2.358	2.617	3.160
∞	0.674	1.282	1.645	1.960	2.326	2.576	3.090


Note: The smaller probability shown at the head of each column is the area in one tail, the larger probability is the area in both tails.

TABLE D.4
Upper Percentage
Points of the χ^2
Distribution

Example

$\Pr(\chi^2 > 10.85) = 0.95$
 $\Pr(\chi^2 > 23.83) = 0.25$
 $\Pr(\chi^2 > 31.41) = 0.05$

for $df = 20$



Degrees of freedom \ Pr	.995	.990	.975	.950	.900
1	392704×10^{-10}	157088×10^{-9}	982069×10^{-9}	393214×10^{-8}	.0157908
2	.0100251	.0201007	.0506356	.102587	.210720
3	.0717212	.114832	.215795	.351846	.584375
4	.206990	.297110	.484419	.710721	1.063623
5	.411740	.554300	.831211	1.145476	1.61031
6	.675727	.872085	1.237347	1.63539	2.20413
7	.989265	1.239043	1.68987	2.16735	2.83311
8	1.344419	1.646482	2.17973	2.73264	3.48954
9	1.734926	2.087912	2.70039	3.32511	4.16816
10	2.15585	2.55821	3.24697	3.94030	4.86518
11	2.60321	3.05347	3.81575	4.57481	5.57779
12	3.07382	3.57056	4.40379	5.22603	6.30380
13	3.56503	4.10691	5.00874	5.89186	7.04150
14	4.07468	4.66043	5.62872	6.57063	7.78953
15	4.60094	5.22935	6.26214	7.26094	8.54675
16	5.14224	5.81221	6.90766	7.96164	9.31223
17	5.69724	6.40776	7.56418	8.67176	10.0852
18	6.26481	7.01491	8.23075	9.39046	10.8649
19	6.84398	7.63273	8.90655	10.1170	11.6509
20	7.43386	8.26040	9.59083	10.8508	12.4426
21	8.03366	8.89720	10.28293	11.5913	13.2396
22	8.64272	9.54249	10.9823	12.3380	14.0415
23	9.26042	10.19567	11.6885	13.0905	14.8479
24	9.88623	10.8564	12.4011	13.8484	15.6587
25	10.5197	11.5240	13.1197	14.6114	16.4734
26	11.1603	12.1981	13.8439	15.3791	17.2919
27	11.8076	12.8786	14.5733	16.1513	18.1138
28	12.4613	13.5648	15.3079	16.9279	18.9392
29	13.1211	14.2565	16.0471	17.7083	19.7677
30	13.7867	14.9535	16.7908	18.4926	20.5992
40	20.7065	22.1643	24.4331	26.5093	29.0505
50	27.9907	29.7067	32.3574	34.7642	37.6886
60	35.5346	37.4848	40.4817	43.1879	46.4589
70	43.2752	45.4418	48.7576	51.7393	55.3290
80	51.1720	53.5400	57.1532	60.3915	64.2778
90	59.1963	61.7541	65.6466	69.1260	73.2912
100*	67.3276	70.0648	74.2219	77.9295	82.3581

*For df greater than 100 the expression $\sqrt{2\chi^2 - k} - \sqrt{2k - 1} = Z$ follows the standardized normal distribution, where k represents the degrees of freedom.


χ^2 -table continued

.750	.500	.250	.100	.050	.025	.010	.005
.1015308	.454937	1.32330	2.70554	3.84146	5.02389	6.63490	7.87944
.575364	1.38629	2.77259	4.60517	5.99147	7.37776	9.21034	10.5966
1.212534	2.36597	4.10835	6.25139	7.81473	9.34840	11.3449	12.8381
1.92255	3.35670	5.38527	7.77944	9.48773	11.1433	13.2767	14.8602
2.67460	4.35146	6.62568	9.23635	11.0705	12.8325	15.0863	16.7496
3.45460	5.34812	7.84080	10.6446	12.5916	14.4494	16.8119	18.5476
4.25485	6.34581	9.03715	12.0170	14.0671	16.0128	18.4753	20.2777
5.07064	7.34412	10.2188	13.3616	15.5073	17.5346	20.0902	21.9550
5.89883	8.34283	11.3887	14.6837	16.9190	19.0228	21.6660	23.5893
6.73720	9.34182	12.5489	15.9871	18.3070	20.4831	23.2093	25.1882
7.58412	10.3410	13.7007	17.2750	19.6751	21.9200	24.7250	26.7569
8.43842	11.3403	14.8454	18.5494	21.0261	23.3367	26.2170	28.2995
9.29906	12.3398	15.9839	19.8119	22.3621	24.7356	27.6883	29.8194
10.1653	13.3393	17.1170	21.0642	23.6848	26.1190	29.1413	31.3193
11.0365	14.3389	18.2451	22.3072	24.9958	27.4884	30.5779	32.8013
11.9122	15.3385	19.3688	23.5418	26.2962	28.8454	31.9999	34.2672
12.7919	16.3381	20.4887	24.7690	27.5871	30.1910	33.4087	35.7185
13.6753	17.3379	21.6049	25.9894	28.8693	31.5264	34.8053	37.1564
14.5620	18.3376	22.7178	27.2036	30.1435	32.8523	36.1908	38.5822
15.4518	19.3374	23.8277	28.4120	31.4104	34.1696	37.5662	39.9968
16.3444	20.3372	24.9348	29.6151	32.6705	35.4789	38.9321	41.4010
17.2396	21.3370	26.0393	30.8133	33.9244	36.7807	40.2894	42.7956
18.1373	22.3369	27.1413	32.0069	35.1725	38.0757	41.6384	44.1813
19.0372	23.3367	28.2412	33.1963	36.4151	39.3641	42.9798	45.5585
19.9393	24.3366	29.3389	34.3816	37.6525	40.6465	44.3141	46.9278
20.8434	25.3364	30.4345	35.5631	38.8852	41.9232	45.6417	48.2899
21.7494	26.3363	31.5284	36.7412	40.1133	43.1944	46.9630	49.6449
22.6572	27.3363	32.6205	37.9159	41.3372	44.4607	48.2782	50.9933
23.5666	28.3362	33.7109	39.0875	42.5569	45.7222	49.5879	52.3356
24.4776	29.3360	34.7998	40.2560	43.7729	46.9792	50.8922	53.6720
25.3903	30.3354	35.8852	41.4120	44.8852	48.2322	52.1901	55.0033
26.3047	31.3349	37.0284	42.5631	46.0284	49.4811	53.4801	56.3296
27.2207	32.3344	38.1816	43.7151	47.1951	50.7261	54.7621	57.6509
28.1383	33.3339	39.3448	44.8670	48.3852	51.9671	56.0381	58.9672
29.0574	34.3334	40.5180	46.0331	49.5984	53.2041	57.3091	60.2785
30.0000	35.3329	41.6871	47.2044	50.8299	54.4271	58.5761	61.5848
30.9671	36.3324	42.8643	48.3810	52.0808	55.6371	59.8391	62.8861
31.9487	37.3319	44.0496	49.5629	53.3461	56.8381	61.0981	64.1824
32.9449	38.3314	45.2431	50.7500	54.6170	58.0291	62.3531	65.4737
33.9567	39.3309	46.4448	51.9431	55.9096	59.2101	63.6041	66.7600
34.9841	40.3304	47.6547	53.1422	57.2139	60.3811	64.8511	68.0423
36.0271	41.3299	48.8729	54.3473	58.5290	61.5421	66.0941	69.3206
37.0857	42.3294	50.0996	55.5584	59.7499	62.6931	67.3331	70.5949
38.1500	43.3289	51.3349	56.7735	60.9896	63.8341	68.5681	71.8652
39.2300	44.3284	52.5796	57.9946	62.2411	64.9651	69.7991	73.1315
40.3257	45.3279	53.8453	59.2217	63.5044	66.0861	71.0261	74.3938
41.4381	46.3274	55.1216	60.4548	64.7695	67.1971	72.2491	75.6521
42.5671	47.3269	56.4085	61.6977	66.0464	68.2981	73.4681	76.9064
43.7127	48.3264	57.7060	62.9531	67.3499	69.3891	74.6831	78.1567
44.8750	49.3259	58.9349	64.2200	68.5140	70.4701	75.8941	79.4030
46.0541	50.3254	60.1853	65.4984	69.6999	71.5411	77.0991	80.6453
47.2499	51.3249	61.4572	66.7884	70.9044	72.6021	78.2941	81.8836
48.4624	52.3244	62.7426	68.0899	72.1235	73.6531	79.4791	83.1179
49.6917	53.3239	64.0195	69.4030	73.3570	74.6941	80.6541	84.3482
50.9379	54.3234	65.3180	70.7277	74.6044	75.7251	81.8191	85.5745
52.2011	55.3229	66.6381	72.0641	75.8299	76.7461	82.9741	86.7968
53.4813	56.3224	67.9696	73.4122	76.9290	77.7571	84.1191	88.0151
54.7785	57.3219	69.3225	74.7717	78.0804	78.7581	85.2541	89.2294
56.0927	58.3214	70.6969	76.1426	79.3000	79.7491	86.3791	90.4397
57.4240	59.3209	72.0928	77.5150	80.5779	80.7301	87.4941	91.6460
58.7724	60.3204	73.5103	78.8989	81.9244	81.6911	88.5991	92.8483
60.1379	61.3199	74.9294	80.2914	83.1385	82.6321	89.6941	94.0466
61.5205	62.3194	76.3701	81.7045	84.2699	83.5531	90.7791	95.2409
62.9202	63.3189	77.5225	83.1381	85.4270	84.4541	91.8541	96.4312
64.3370	64.3184	78.6966	84.5722	86.6099	85.3351	92.9191	97.6175
65.7709	65.3179	79.8831	86.0741	87.7944	86.1961	93.9741	98.8008
67.2220	66.3174	81.0916	87.5426	89.0075	87.0371	95.0191	99.9801
68.6893	67.3169	82.1321	89.0277	90.2490	87.8581	96.0541	101.1554
70.1728	68.3164	83.1946	90.5294	91.5199	88.6591	97.0791	102.3267
71.6725	69.3159	84.2791	91.9949	92.8190	89.4401	98.0941	103.4930
73.1884	70.3154	85.3856	93.4664	94.1464	90.1911	99.0991	104.6553
74.7205	71.3149	86.5141	94.9339	95.5011	90.9121	100.0941	105.8136
76.2688	72.3144	87.6646	96.4074	96.8830	91.6131	101.0791	106.9679
77.8333	73.3139	88.8371	97.8869	98.2924	92.2941	102.0541	108.1182
79.4140	74.3134	90.0316	98.9924	99.7293	92.9551	103.0191	109.2645
81.0109	75.3129	91.2481	100.3049	101.1918	93.5961	103.9741	110.4068
82.6240	76.3124	92.5866	101.8514	102.6819	94.2171	104.9191	111.5451
84.2533	77.3119	93.9471	103.3699	104.1904	94.8181	105.8541	112.6794
85.8988	78.3114	95.3296	104.8604	105.7224	95.3991	106.7791	113.8097
87.5605	79.3109	96.7341	106.3329	107.2779	95.9601	107.6941	114.9350
89.2384	80.3104	98.1606	107.9074	108.8570	96.4911	108.5991	116.0563
90.9325	81.3099	99.6091	109.4639	110.4624	97.0021	109.4941	117.1726
92.6428	82.3094	101.0806	111.0424	112.0929	97.4831	110.3791	118.2849
94.3693	83.3089	102.6641	112.6449	113.7484	97.9441	111.2541	119.3932
96.1120	84.3084	104.2696	114.2194	115.4299	98.3851	112.1191	120.4975
97.8709	85.3079	105.8971	115.8169	117.1374	98.8061	112.9741	121.5978
99.6460	86.3074	107.5466	117.4374	118.8709	99.2071	113.8191	122.6941
101.4373	87.3069	109.2181	119.0809	120.6304	99.5881	114.6541	123.7864
103.2448	88.3064	110.9116	120.7474	122.4159	99.9491	115.4791	124.8747
105.0685	89.3059	112.6071	122.4379	124.2274	100.2901	116.2941	125.9590
106.9084	90.3054	114.3246	124.1514	126.0649	100.6111	117.0991	127.0393
108.7645	91.3049	116.0641	126.0979	127.9284	100.9121	117.8941	128.1156
110.6368	92.3044	117.8256	128.0674	129.8179	101.1931	118.6791	129.1879
112.5253	93.3039	119.6091	130.1699	131.7334	101.4541	119.4541	130.2562
114.4300	94.3034	121.4146	132.3044	133.6749	101.6951	120.2191	131.3205
116.3509	95.3029	123.2421	134.4719	135.6424	101.9161	120.9741	132.3808
118.2880	96.3024	125.0916	136.6724	137.6359	102.1171	121.7191	133.4371
120.2413	97.3019	126.9631	138.9059	139.6554	102.2981	122.4541	134.4894
122.2108	98.3014	128.8566	141.1724	141.7009	102.4591	123.1791	135.5377
124.1965	99.3009	130.7721	143.4719	143.7724	102.6001	123.8941	136.5820
126.1984	100.3004	132.7096	145.8044	145.8699	102.7211	124.5991	137.6233
128.2165	101.3000	134.6691	148.1699	147.9934	102.8221	125.2941	138.6606
130.2508	102.3000	136.6506	150.5684	150.1429	102.9031	125.9791	139.6949
132.3013	103.3000	138.6541	153.0009	152.3184	102.9641	126.6541	140.7262
134.3680	104.3000	140.6796	155.4674	154.5209	103.0051	127.3191	141.7535
136.4509	105.3000	142.7271	157.9679	156.7494	103.0261	127.9741	142.7768
138.5500	106.3000	144.7966	160.5014	159.0039	103.0271	128.6191	143.7961
140.6653	107.3000	146.8881	163.0689	161.2844	103.0081	129.2541	144.8114
142.7968	108.3000	148.9916	165.6704	163.5909	102.9691	129.8791	145.8227
144.9445	109.3000	151.1071	168.3059	165.9234	102.9101	130.4941	146.8290
147.1084	110.3000	153.2446	170.9754	168.2829	102.8311	131.0991	147.8313
149.2885	111.3000	155.3941	173.6789	170.6684	102.7321	131.6941	148.8296
151.4848	112.3000	157.5566	176.4164	173.0899	102.6131	132.2791	149.8239
153.6973	113.3000	159.7321	179.1879	175.5474	102.4741	132.8541	150.8142
155.9260	114.3000	161.9206	181.9934	178.0409	102.3151	133.4191	151.8005
158.1709	115.3000	164.1221	184.8339	180.5704	102.1361	133.9741	152.7828
160.4320	116.3000	166.3366	187.7084	183.1359	101.9371	134.5191	153.7611
162.7083	117.3000	168.5641	190.6169	185.7374	101		

TABLE D.3 Upper Percentage Points of the *F* Distribution

Example

$\Pr(F > 1.59) = 0.25$
 $\Pr(F > 2.42) = 0.10$ for $df N_1 = 10$
 $\Pr(F > 3.14) = 0.05$ and $N_2 = 9$
 $\Pr(F > 5.26) = 0.01$



df for denominator N_2	Pr	df for numerator N_1											
		1	2	3	4	5	6	7	8	9	10	11	12
1	.25	5.83	7.50	8.20	8.58	8.82	8.98	9.10	9.19	9.26	9.32	9.36	9.41
	.10	39.9	49.5	53.6	55.8	57.2	58.2	58.9	59.4	59.9	60.2	60.5	60.7
	.05	161	200	216	225	230	234	237	239	241	242	243	244
	.01												
2	.25	2.57	3.00	3.15	3.23	3.28	3.31	3.34	3.35	3.37	3.38	3.39	3.39
	.10	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.40	9.41
	.05	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.4	19.4
	.01	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4	99.4	99.4	99.4
3	.25	2.02	2.28	2.36	2.39	2.41	2.42	2.43	2.44	2.44	2.44	2.45	2.45
	.10	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.22
	.05	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.76	8.74
	.01	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.3	27.2	27.1	27.1
4	.25	1.81	2.00	2.05	2.06	2.07	2.08	2.08	2.08	2.08	2.08	2.08	2.08
	.10	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.91	3.90
	.05	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.94	5.91
	.01	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.7	14.5	14.4	14.4
5	.25	1.69	1.85	1.88	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89
	.10	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.28	3.27
	.05	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.71	4.68
	.01	16.3	13.3	12.1	11.4	11.0	10.7	10.5	10.3	10.2	10.1	9.96	9.89
6	.25	1.62	1.76	1.78	1.79	1.79	1.78	1.78	1.78	1.77	1.77	1.77	1.77
	.10	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.92	2.90
	.05	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.03	4.00
	.01	13.7	10.9	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.79	7.72
7	.25	1.57	1.70	1.72	1.72	1.71	1.71	1.70	1.70	1.69	1.69	1.69	1.68
	.10	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.68	2.67
	.05	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.60	3.57
	.01	12.2	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.54	6.47
8	.25	1.54	1.66	1.67	1.66	1.66	1.65	1.64	1.64	1.63	1.63	1.63	1.62
	.10	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.52	2.50
	.05	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.31	3.28
	.01	11.3	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.73	5.67
9	.25	1.51	1.62	1.63	1.63	1.62	1.61	1.60	1.60	1.59	1.59	1.58	1.58
	.10	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.40	2.38
	.05	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.10	3.07
	.01	10.6	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.18	5.11

Source: From E. S. Pearson and H. O. Hartley, eds., *Biometrika Tables for Statisticians*, vol. 1, 3d ed., table 18, Cambridge University Press, New York, 1966. Reproduced by permission of the editors and trustees of *Biometrika*.

F-table continued

df for numerator N_1												Pr	df for denominator N_2
15	20	24	30	40	50	60	100	120	200	500	∞		
9.49	9.58	9.63	9.67	9.71	9.74	9.76	9.78	9.80	9.82	9.84	9.85	.25	1
61.2	61.7	62.0	62.3	62.5	62.7	62.8	63.0	63.1	63.2	63.3	63.3	.10	
246	248	249	250	251	252	252	253	253	254	254	254	.05	
3.41	3.43	3.43	3.44	3.45	3.45	3.46	3.47	3.47	3.48	3.48	3.48	.25	2
9.42	9.44	9.45	9.46	9.47	9.47	9.47	9.48	9.48	9.49	9.49	9.49	.10	
19.4	19.4	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	.05	
99.4	99.4	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	.01	
2.46	2.46	2.46	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47	.25	3
5.20	5.18	5.18	5.17	5.16	5.15	5.15	5.14	5.14	5.14	5.14	5.13	.10	
8.70	8.66	8.64	8.62	8.59	8.58	8.57	8.55	8.55	8.54	8.53	8.53	.05	
26.9	26.7	26.6	26.5	26.4	26.4	26.3	26.2	26.2	26.2	26.1	26.1	.01	
2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	.25	4
3.87	3.84	3.83	3.82	3.80	3.80	3.79	3.78	3.78	3.77	3.76	3.76	.10	
5.86	5.80	5.77	5.75	5.72	5.70	5.69	5.66	5.66	5.65	5.64	5.63	.05	
14.2	14.0	13.9	13.8	13.7	13.7	13.7	13.6	13.6	13.5	13.5	13.5	.01	
1.89	1.88	1.88	1.88	1.88	1.88	1.87	1.87	1.87	1.87	1.87	1.87	.25	5
3.24	3.21	3.19	3.17	3.16	3.15	3.14	3.13	3.12	3.12	3.11	3.10	.10	
4.62	4.56	4.53	4.50	4.46	4.44	4.43	4.41	4.40	4.39	4.37	4.36	.05	
9.72	9.55	9.47	9.38	9.29	9.24	9.20	9.13	9.11	9.08	9.04	9.02	.01	
1.76	1.76	1.75	1.75	1.75	1.75	1.74	1.74	1.74	1.74	1.74	1.74	.25	6
2.87	2.84	2.82	2.80	2.78	2.77	2.76	2.75	2.74	2.73	2.73	2.72	.10	
3.94	3.87	3.84	3.81	3.77	3.75	3.74	3.71	3.70	3.69	3.68	3.67	.05	
7.56	7.40	7.31	7.23	7.14	7.09	7.06	6.99	6.97	6.93	6.90	6.88	.01	
1.68	1.67	1.67	1.66	1.66	1.66	1.65	1.65	1.65	1.65	1.65	1.65	.25	7
2.63	2.59	2.58	2.56	2.54	2.52	2.51	2.50	2.49	2.48	2.48	2.47	.10	
3.51	3.44	3.41	3.38	3.34	3.32	3.30	3.27	3.27	3.25	3.24	3.23	.05	
6.31	6.16	6.07	5.99	5.91	5.86	5.82	5.75	5.74	5.70	5.67	5.65	.01	
1.62	1.61	1.60	1.60	1.59	1.59	1.59	1.58	1.58	1.58	1.58	1.58	.25	8
2.46	2.42	2.40	2.38	2.36	2.35	2.34	2.32	2.32	2.31	2.30	2.29	.10	
3.22	3.15	3.12	3.08	3.04	3.02	3.01	2.97	2.97	2.95	2.94	2.93	.05	
5.52	5.36	5.28	5.20	5.12	5.07	5.03	4.96	4.95	4.91	4.88	4.86	.01	
1.57	1.56	1.56	1.55	1.55	1.54	1.54	1.53	1.53	1.53	1.53	1.53	.25	9
2.34	2.30	2.28	2.25	2.23	2.22	2.21	2.19	2.18	2.17	2.17	2.16	.10	
3.01	2.94	2.90	2.86	2.83	2.80	2.79	2.76	2.75	2.73	2.72	2.71	.05	
4.96	4.81	4.73	4.65	4.57	4.52	4.48	4.42	4.40	4.36	4.33	4.31	.01	

(Continued)

TABLE D.3 Upper Percentage Points of the F Distribution (Continued)

df for denominator N_2	Pr	df for numerator N_1											
		1	2	3	4	5	6	7	8	9	10	11	12
10	.25	1.49	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55	1.55	1.54
	.10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.30	2.28
	.05	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.94	2.91
	.01	10.0	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.77	4.71
11	.25	1.47	1.58	1.58	1.57	1.56	1.55	1.54	1.53	1.53	1.52	1.52	1.51
	.10	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.23	2.21
	.05	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.82	2.79
	.01	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.46	4.40
12	.25	1.46	1.56	1.56	1.55	1.54	1.53	1.52	1.51	1.51	1.50	1.50	1.49
	.10	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.17	2.15
	.05	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.72	2.69
	.01	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.22	4.16
13	.25	1.45	1.55	1.55	1.53	1.52	1.51	1.50	1.49	1.49	1.48	1.47	1.47
	.10	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	2.12	2.10
	.05	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.63	2.60
	.01	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	4.02	3.96
14	.25	1.44	1.53	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.46	1.45
	.10	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.08	2.05
	.05	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.57	2.53
	.01	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.86	3.80
15	.25	1.43	1.52	1.52	1.51	1.49	1.48	1.47	1.46	1.46	1.45	1.44	1.44
	.10	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.04	2.02
	.05	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.51	2.48
	.01	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.73	3.67
16	.25	1.42	1.51	1.51	1.50	1.48	1.47	1.46	1.45	1.44	1.44	1.44	1.43
	.10	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	2.01	1.99
	.05	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.46	2.42
	.01	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.62	3.55
17	.25	1.42	1.51	1.50	1.49	1.47	1.46	1.45	1.44	1.43	1.43	1.42	1.41
	.10	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	1.98	1.96
	.05	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.41	2.38
	.01	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.52	3.46
18	.25	1.41	1.50	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.42	1.41	1.40
	.10	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	1.96	1.93
	.05	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.37	2.34
	.01	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.43	3.37
19	.25	1.41	1.49	1.49	1.47	1.46	1.44	1.43	1.42	1.41	1.41	1.40	1.40
	.10	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	1.94	1.91
	.05	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.34	2.31
	.01	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.36	3.30
20	.25	1.40	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.39
	.10	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.92	1.89
	.05	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.31	2.28
	.01	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.29	3.23

F-table (continued)

df for numerator N_1												Pr	df for denominator N_2
15	20	24	30	40	50	60	100	120	200	500	∞		
1.53	1.52	1.52	1.51	1.51	1.50	1.50	1.49	1.49	1.49	1.48	1.48	.25	10
2.24	2.20	2.18	2.16	2.13	2.12	2.11	2.09	2.08	2.07	2.06	2.06	.10	
2.85	2.77	2.74	2.70	2.66	2.64	2.62	2.59	2.58	2.56	2.55	2.54	.05	
4.56	4.41	4.33	4.25	4.17	4.12	4.08	4.01	4.00	3.96	3.93	3.91	.01	11
1.50	1.49	1.49	1.48	1.47	1.47	1.47	1.46	1.46	1.46	1.45	1.45	.25	
2.17	2.12	2.10	2.08	2.05	2.04	2.03	2.00	2.00	1.99	1.98	1.97	.10	
2.72	2.65	2.61	2.57	2.53	2.51	2.49	2.46	2.45	2.43	2.42	2.40	.05	12
4.25	4.10	4.02	3.94	3.86	3.81	3.78	3.71	3.69	3.66	3.62	3.60	.01	
1.48	1.47	1.46	1.45	1.45	1.44	1.44	1.43	1.43	1.43	1.42	1.42	.25	
2.10	2.06	2.04	2.01	1.99	1.97	1.96	1.94	1.93	1.92	1.91	1.90	.10	13
2.62	2.54	2.51	2.47	2.43	2.40	2.38	2.35	2.34	2.32	2.31	2.30	.05	
4.01	3.86	3.78	3.70	3.62	3.57	3.54	3.47	3.45	3.41	3.38	3.36	.01	
1.46	1.45	1.44	1.43	1.42	1.42	1.42	1.41	1.41	1.40	1.40	1.40	.25	14
2.05	2.01	1.98	1.96	1.93	1.92	1.90	1.88	1.88	1.86	1.85	1.85	.10	
2.53	2.46	2.42	2.38	2.34	2.31	2.30	2.26	2.25	2.23	2.22	2.21	.05	
3.82	3.66	3.59	3.51	3.43	3.38	3.34	3.27	3.25	3.22	3.19	3.17	.01	15
1.44	1.43	1.42	1.41	1.41	1.40	1.40	1.39	1.39	1.39	1.38	1.38	.25	
2.01	1.96	1.94	1.91	1.89	1.87	1.86	1.83	1.83	1.82	1.80	1.80	.10	
2.46	2.39	2.35	2.31	2.27	2.24	2.22	2.19	2.18	2.16	2.14	2.13	.05	16
3.66	3.51	3.43	3.35	3.27	3.22	3.18	3.11	3.09	3.06	3.03	3.00	.01	
1.43	1.41	1.41	1.40	1.39	1.39	1.38	1.38	1.37	1.37	1.36	1.36	.25	
1.97	1.92	1.90	1.87	1.85	1.83	1.82	1.79	1.79	1.77	1.76	1.76	.10	17
2.40	2.33	2.29	2.25	2.20	2.18	2.16	2.12	2.11	2.10	2.08	2.07	.05	
3.52	3.37	3.29	3.21	3.13	3.08	3.05	2.98	2.96	2.92	2.89	2.87	.01	
1.41	1.40	1.39	1.38	1.37	1.37	1.36	1.36	1.35	1.35	1.34	1.34	.25	18
1.94	1.89	1.87	1.84	1.81	1.79	1.78	1.76	1.75	1.74	1.73	1.72	.10	
2.35	2.28	2.24	2.19	2.15	2.12	2.11	2.07	2.06	2.04	2.02	2.01	.05	
3.41	3.26	3.18	3.10	3.02	2.97	2.93	2.86	2.84	2.81	2.78	2.75	.01	19
1.40	1.39	1.38	1.37	1.36	1.35	1.35	1.34	1.34	1.34	1.33	1.33	.25	
1.91	1.86	1.84	1.81	1.78	1.76	1.75	1.73	1.72	1.71	1.69	1.69	.10	
2.31	2.23	2.19	2.15	2.10	2.08	2.06	2.02	2.01	1.99	1.97	1.96	.05	20
3.31	3.16	3.08	3.00	2.92	2.87	2.83	2.76	2.75	2.71	2.68	2.65	.01	
1.39	1.38	1.37	1.36	1.35	1.34	1.34	1.33	1.33	1.32	1.32	1.32	.25	
1.89	1.84	1.81	1.78	1.75	1.74	1.72	1.70	1.69	1.68	1.67	1.66	.10	21
2.27	2.19	2.15	2.11	2.06	2.04	2.02	1.98	1.97	1.95	1.93	1.92	.05	
3.23	3.08	3.00	2.92	2.84	2.78	2.75	2.68	2.66	2.62	2.59	2.57	.01	
1.38	1.37	1.36	1.35	1.34	1.33	1.33	1.32	1.32	1.31	1.31	1.30	.25	22
1.86	1.81	1.79	1.76	1.73	1.71	1.70	1.67	1.67	1.65	1.64	1.63	.10	
2.23	2.16	2.11	2.07	2.03	2.00	1.98	1.94	1.93	1.91	1.89	1.88	.05	
3.15	3.00	2.92	2.84	2.76	2.71	2.67	2.60	2.58	2.55	2.51	2.49	.01	23
1.37	1.36	1.35	1.34	1.33	1.33	1.32	1.31	1.31	1.30	1.30	1.29	.25	
1.84	1.79	1.77	1.74	1.71	1.69	1.68	1.65	1.64	1.63	1.62	1.61	.10	
2.20	2.12	2.08	2.04	1.99	1.97	1.95	1.91	1.90	1.88	1.86	1.84	.05	24
3.09	2.94	2.86	2.78	2.69	2.64	2.61	2.54	2.52	2.48	2.44	2.42	.01	

(Continued)

TABLE D.3 Upper Percentage Points of the *F* Distribution (Continued)

df for denominator N_2	df for numerator N_1												
	Pr	1	2	3	4	5	6	7	8	9	10	11	12
22	.25	1.40	1.48	1.47	1.45	1.44	1.42	1.41	1.40	1.39	1.39	1.38	1.37
	.10	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90	1.88	1.86
	.05	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.26	2.23
	.01	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.18	3.12
24	.25	1.39	1.47	1.46	1.44	1.43	1.41	1.40	1.39	1.38	1.38	1.37	1.36
	.10	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	1.85	1.83
	.05	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.21	2.18
	.01	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.09	3.03
26	.25	1.38	1.46	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.37	1.36	1.35
	.10	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86	1.84	1.81
	.05	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.18	2.15
	.01	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	3.02	2.96
28	.25	1.38	1.46	1.45	1.43	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34
	.10	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	1.81	1.79
	.05	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.15	2.12
	.01	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.96	2.90
30	.25	1.38	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.36	1.35	1.35	1.34
	.10	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	1.79	1.77
	.05	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.13	2.09
	.01	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.91	2.84
40	.25	1.36	1.44	1.42	1.40	1.39	1.37	1.36	1.35	1.34	1.33	1.32	1.31
	.10	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	1.73	1.71
	.05	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.04	2.00
	.01	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.73	2.66
60	.25	1.35	1.42	1.41	1.38	1.37	1.35	1.33	1.32	1.31	1.30	1.29	1.29
	.10	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.68	1.66
	.05	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.95	1.92
	.01	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.56	2.50
120	.25	1.34	1.40	1.39	1.37	1.35	1.33	1.31	1.30	1.29	1.28	1.27	1.26
	.10	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.62	1.60
	.05	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83
	.01	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.40	2.34
200	.25	1.33	1.39	1.38	1.36	1.34	1.32	1.31	1.29	1.28	1.27	1.26	1.25
	.10	2.73	2.33	2.11	1.97	1.88	1.80	1.75	1.70	1.66	1.63	1.60	1.57
	.05	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.84	1.80
	.01	6.76	4.71	3.88	3.41	3.11	2.89	2.73	2.60	2.50	2.41	2.34	2.27
∞	.25	1.32	1.39	1.37	1.35	1.33	1.31	1.29	1.28	1.27	1.25	1.24	1.24
	.10	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.57	1.55
	.05	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.79	1.75
	.01	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.25	2.18

F-table continued

df for numerator N_1												df for denominator N_2	
15	20	24	30	40	50	60	100	120	200	500	∞	Pr	N_2
1.36	1.34	1.33	1.32	1.31	1.31	1.30	1.30	1.30	1.29	1.29	1.28	.25	22
1.81	1.76	1.73	1.70	1.67	1.65	1.64	1.61	1.60	1.59	1.58	1.57	.10	
2.15	2.07	2.03	1.98	1.94	1.91	1.89	1.85	1.84	1.82	1.80	1.78	.05	
2.98	2.83	2.75	2.67	2.58	2.53	2.50	2.42	2.40	2.36	2.33	2.31	.01	24
1.35	1.33	1.32	1.31	1.30	1.29	1.29	1.28	1.28	1.27	1.27	1.26	.25	
1.78	1.73	1.70	1.67	1.64	1.62	1.61	1.58	1.57	1.56	1.54	1.53	.10	
2.11	2.03	1.98	1.94	1.89	1.86	1.84	1.80	1.79	1.77	1.75	1.73	.05	26
2.89	2.74	2.66	2.58	2.49	2.44	2.40	2.33	2.31	2.27	2.24	2.21	.01	
1.34	1.32	1.31	1.30	1.29	1.28	1.28	1.26	1.26	1.26	1.25	1.25	.25	
1.76	1.71	1.68	1.65	1.61	1.59	1.58	1.55	1.54	1.53	1.51	1.50	.10	28
2.07	1.99	1.95	1.90	1.85	1.82	1.80	1.76	1.75	1.73	1.71	1.69	.05	
2.81	2.66	2.58	2.50	2.42	2.36	2.33	2.25	2.23	2.19	2.16	2.13	.01	
1.33	1.31	1.30	1.29	1.28	1.27	1.27	1.26	1.25	1.25	1.24	1.24	.25	30
1.74	1.69	1.66	1.63	1.59	1.57	1.56	1.53	1.52	1.50	1.49	1.48	.10	
2.04	1.96	1.91	1.87	1.82	1.79	1.77	1.73	1.71	1.69	1.67	1.65	.05	
2.75	2.60	2.52	2.44	2.35	2.30	2.26	2.19	2.17	2.13	2.09	2.06	.01	40
1.32	1.30	1.29	1.28	1.27	1.26	1.26	1.25	1.24	1.24	1.23	1.23	.25	
1.72	1.67	1.64	1.61	1.57	1.55	1.54	1.51	1.50	1.48	1.47	1.46	.10	
2.01	1.93	1.89	1.84	1.79	1.76	1.74	1.70	1.68	1.66	1.64	1.62	.05	60
2.70	2.55	2.47	2.39	2.30	2.25	2.21	2.13	2.11	2.07	2.03	2.01	.01	
1.30	1.28	1.26	1.25	1.24	1.23	1.22	1.21	1.21	1.20	1.19	1.19	.25	
1.66	1.61	1.57	1.54	1.51	1.48	1.47	1.43	1.42	1.41	1.39	1.38	.10	120
1.92	1.84	1.79	1.74	1.69	1.66	1.64	1.59	1.58	1.55	1.53	1.51	.05	
2.52	2.37	2.29	2.20	2.11	2.06	2.02	1.94	1.92	1.87	1.83	1.80	.01	
1.27	1.25	1.24	1.22	1.21	1.20	1.19	1.17	1.17	1.16	1.15	1.15	.25	200
1.60	1.54	1.51	1.48	1.44	1.41	1.40	1.36	1.35	1.33	1.31	1.29	.10	
1.84	1.75	1.70	1.65	1.59	1.56	1.53	1.48	1.47	1.44	1.41	1.39	.05	
2.35	2.20	2.12	2.03	1.94	1.88	1.84	1.75	1.73	1.68	1.63	1.60	.01	∞
1.24	1.22	1.21	1.19	1.18	1.17	1.16	1.14	1.13	1.12	1.11	1.10	.25	
1.55	1.48	1.45	1.41	1.37	1.34	1.32	1.27	1.26	1.24	1.21	1.19	.10	
1.75	1.66	1.61	1.55	1.50	1.46	1.43	1.37	1.35	1.32	1.28	1.25	.05	22
2.19	2.03	1.95	1.86	1.76	1.70	1.66	1.56	1.53	1.48	1.42	1.38	.01	
1.23	1.21	1.20	1.18	1.16	1.14	1.12	1.11	1.10	1.09	1.08	1.06	.25	
1.52	1.46	1.42	1.38	1.34	1.31	1.28	1.24	1.22	1.20	1.17	1.14	.10	24
1.72	1.62	1.57	1.52	1.46	1.41	1.39	1.32	1.29	1.26	1.22	1.19	.05	
2.13	1.97	1.89	1.79	1.69	1.63	1.58	1.48	1.44	1.39	1.33	1.28	.01	
1.22	1.19	1.18	1.16	1.14	1.13	1.12	1.09	1.08	1.07	1.04	1.00	.25	26
1.49	1.42	1.38	1.34	1.30	1.26	1.24	1.18	1.17	1.13	1.08	1.00	.10	
1.67	1.57	1.52	1.46	1.39	1.35	1.32	1.24	1.22	1.17	1.11	1.00	.05	
2.04	1.88	1.79	1.70	1.59	1.52	1.47	1.36	1.32	1.25	1.15	1.00	.01	28
1.22	1.19	1.18	1.16	1.14	1.13	1.12	1.09	1.08	1.07	1.04	1.00	.25	
1.49	1.42	1.38	1.34	1.30	1.26	1.24	1.18	1.17	1.13	1.08	1.00	.10	
1.67	1.57	1.52	1.46	1.39	1.35	1.32	1.24	1.22	1.17	1.11	1.00	.05	30
2.04	1.88	1.79	1.70	1.59	1.52	1.47	1.36	1.32	1.25	1.15	1.00	.01	

TABLE D.5A Durbin-Watson d Statistic: Significance Points of d_L and d_U at 0.05 Level of Significance

n	$k' = 1$		$k' = 2$		$k' = 3$		$k' = 4$		$k' = 5$		$k' = 6$		$k' = 7$		$k' = 8$		$k' = 9$		$k' = 10$		
	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	
6	0.610	1.400	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	0.700	1.356	0.467	1.896	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	0.763	1.332	0.559	1.777	0.368	2.287	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	0.824	1.320	0.629	1.699	0.455	2.128	0.296	2.588	—	—	—	—	—	—	—	—	—	—	—	—	—
10	0.879	1.320	0.697	1.641	0.525	2.016	0.376	2.414	0.243	2.822	—	—	—	—	—	—	—	—	—	—	—
11	0.927	1.324	0.658	1.604	0.595	1.928	0.444	2.283	0.316	2.645	0.293	3.005	—	—	—	—	—	—	—	—	—
12	0.971	1.331	0.812	1.579	0.658	1.864	0.512	2.177	0.379	2.506	0.268	2.832	0.171	3.149	—	—	—	—	—	—	—
13	1.010	1.340	0.861	1.562	0.715	1.816	0.574	2.094	0.445	2.390	0.328	2.692	0.230	2.985	0.147	3.266	—	—	—	—	—
14	1.045	1.350	0.905	1.551	0.767	1.779	0.632	2.030	0.505	2.296	0.389	2.572	0.296	2.848	0.200	3.111	0.127	3.360	—	—	—
15	1.077	1.361	0.946	1.543	0.814	1.750	0.685	1.977	0.562	2.220	0.447	2.472	0.343	2.727	0.251	2.979	0.175	3.216	0.111	3.438	—
16	1.106	1.371	0.982	1.539	0.857	1.728	0.734	1.935	0.615	2.157	0.502	2.388	0.398	2.624	0.304	2.860	0.222	3.090	0.155	3.304	—
17	1.133	1.381	1.015	1.536	0.897	1.710	0.779	1.900	0.664	2.104	0.554	2.318	0.451	2.537	0.356	2.757	0.272	2.975	0.198	3.184	—
18	1.158	1.391	1.046	1.535	0.933	1.696	0.820	1.872	0.710	2.060	0.603	2.257	0.502	2.461	0.407	2.667	0.321	2.873	0.244	3.073	—
19	1.180	1.401	1.074	1.536	0.967	1.685	0.859	1.848	0.752	2.023	0.649	2.206	0.549	2.396	0.456	2.589	0.369	2.783	0.290	2.974	—
20	1.201	1.411	1.100	1.537	0.998	1.676	0.894	1.828	0.792	1.991	0.692	2.162	0.595	2.339	0.502	2.521	0.416	2.704	0.336	2.885	—
21	1.221	1.420	1.125	1.538	1.026	1.669	0.927	1.812	0.829	1.964	0.732	2.124	0.637	2.290	0.547	2.460	0.461	2.633	0.380	2.806	—
22	1.239	1.429	1.147	1.541	1.053	1.664	0.958	1.797	0.863	1.940	0.769	2.090	0.677	2.246	0.588	2.407	0.504	2.571	0.424	2.734	—
23	1.257	1.437	1.168	1.543	1.078	1.660	0.986	1.785	0.895	1.920	0.804	2.061	0.715	2.208	0.628	2.360	0.545	2.514	0.465	2.670	—
24	1.273	1.446	1.188	1.546	1.101	1.656	1.013	1.775	0.925	1.902	0.837	2.035	0.751	2.174	0.666	2.318	0.584	2.464	0.506	2.613	—
25	1.288	1.454	1.206	1.550	1.123	1.654	1.038	1.767	0.953	1.886	0.868	2.012	0.784	2.144	0.702	2.280	0.621	2.419	0.544	2.560	—
26	1.302	1.461	1.224	1.553	1.143	1.652	1.062	1.759	0.979	1.873	0.897	1.992	0.816	2.117	0.735	2.246	0.657	2.379	0.581	2.513	—
27	1.316	1.469	1.240	1.556	1.162	1.651	1.084	1.753	1.004	1.861	0.925	1.974	0.845	2.093	0.767	2.216	0.691	2.342	0.616	2.470	—
28	1.328	1.476	1.255	1.560	1.181	1.650	1.104	1.747	1.028	1.850	0.951	1.958	0.874	2.071	0.798	2.188	0.723	2.309	0.650	2.431	—
29	1.341	1.483	1.270	1.563	1.198	1.650	1.124	1.743	1.050	1.841	0.975	1.944	0.900	2.052	0.826	2.164	0.753	2.278	0.682	2.396	—
30	1.352	1.489	1.284	1.567	1.214	1.650	1.143	1.739	1.071	1.833	0.998	1.931	0.926	2.034	0.854	2.141	0.782	2.251	0.712	2.363	—
31	1.363	1.496	1.297	1.570	1.229	1.650	1.160	1.735	1.090	1.825	1.020	1.920	0.950	2.018	0.879	2.120	0.810	2.226	0.741	2.333	—
32	1.373	1.502	1.309	1.574	1.244	1.650	1.177	1.732	1.109	1.819	1.041	1.909	0.972	2.004	0.904	2.102	0.836	2.203	0.769	2.306	—
33	1.383	1.508	1.321	1.577	1.258	1.651	1.193	1.730	1.127	1.813	1.061	1.900	0.994	1.991	0.927	2.085	0.861	2.181	0.795	2.281	—
34	1.393	1.514	1.333	1.580	1.271	1.652	1.208	1.728	1.144	1.808	1.080	1.891	1.015	1.979	0.950	2.069	0.885	2.162	0.821	2.257	—
35	1.402	1.519	1.343	1.584	1.283	1.653	1.222	1.726	1.160	1.803	1.097	1.884	1.034	1.967	0.971	2.054	0.908	2.144	0.845	2.236	—
36	1.411	1.525	1.354	1.587	1.295	1.654	1.236	1.724	1.175	1.799	1.114	1.877	1.053	1.957	0.991	2.041	0.930	2.127	0.868	2.216	—
37	1.419	1.530	1.364	1.590	1.307	1.655	1.249	1.723	1.190	1.795	1.131	1.870	1.071	1.948	1.011	2.029	0.951	2.112	0.891	2.198	—
38	1.427	1.535	1.373	1.594	1.318	1.656	1.261	1.722	1.204	1.792	1.146	1.864	1.088	1.939	1.029	2.017	0.970	2.098	0.912	2.180	—
39	1.435	1.540	1.382	1.597	1.328	1.658	1.273	1.722	1.218	1.789	1.161	1.859	1.104	1.932	1.047	2.007	0.990	2.085	0.932	2.164	—
40	1.442	1.544	1.391	1.600	1.338	1.659	1.285	1.721	1.230	1.786	1.175	1.854	1.120	1.924	1.064	1.997	1.008	2.072	0.952	2.149	—
45	1.475	1.566	1.430	1.615	1.383	1.666	1.336	1.720	1.287	1.776	1.238	1.835	1.189	1.895	1.139	1.958	1.089	2.022	1.038	2.088	—
50	1.503	1.585	1.462	1.628	1.421	1.674	1.378	1.721	1.335	1.771	1.291	1.822	1.246	1.875	1.201	1.930	1.156	1.986	1.110	2.044	—
55	1.528	1.601	1.490	1.641	1.452	1.681	1.414	1.724	1.374	1.768	1.334	1.814	1.294	1.861	1.253	1.909	1.212	1.959	1.170	2.010	—
60	1.549	1.616	1.514	1.652	1.480	1.689	1.444	1.727	1.408	1.767	1.372	1.808	1.335	1.850	1.298	1.894	1.260	1.939	1.222	1.984	—
65	1.567	1.629	1.536	1.662	1.503	1.696	1.471	1.731	1.438	1.767	1.404	1.805	1.370	1.843	1.336	1.882	1.301	1.923	1.266	1.964	—
70	1.583	1.641	1.554	1.672	1.525	1.703	1.494	1.735	1.464	1.768	1.433	1.802	1.401	1.837	1.369	1.873	1.337	1.910	1.305	1.948	—
75	1.598	1.652	1.571	1.680	1.543	1.709	1.515	1.739	1.487	1.770	1.458	1.801	1.428	1.834	1.399	1.867	1.369	1.901	1.339	1.935	—
80	1.611	1.662	1.586	1.688	1.560	1.715	1.534	1.743	1.507	1.772	1.480	1.804	1.453	1.831	1.425	1.861	1.397	1.893	1.369	1.925	—
85	1.624	1.671	1.600	1.696	1.575	1.721	1.550	1.747	1.525	1.774	1.500	1.801	1.474	1.829	1.448	1.857	1.422	1.886	1.396	1.916	—
90	1.635	1.679	1.612	1.703	1.589	1.726	1.566	1.751	1.542	1.776	1.518	1.801	1.494	1.827	1.469	1.854	1.445	1.881	1.420	1.939	—
95	1.645	1.687	1.623	1.709	1.602	1.732	1.579	1.755	1.557	1.778	1.535	1.802	1.512	1.827	1.489	1.852	1.465	1.877	1.442	1.903	—
100	1.654	1.694	1.634	1.715	1.613	1.736	1.592	1.758	1.571	1.780	1.550	1.803	1.528	1.826	1.506	1.850	1.484	1.874	1.462	1.898	—
150	1.720	1.746	1.706	1.760	1.693	1.774	1.679	1.788	1.665	1.802	1.651	1.817	1.637	1.832	1.622	1.847	1.608	1.862	1.594	1.877	—
200	1.758	1.778	1.748	1.789	1.738	1.799	1.728	1.810	1.718	1.820	1.707	1.831	1.697	1.841	1.686	1.852	1.675	1.863	1.665	1.874	—

n	k' = 11		k' = 12		k' = 13		k' = 14		k' = 15		k' = 16		k' = 17		k' = 18		k' = 19		k' = 20	
	d _L	d _U	d _L	d _U	d _L	d _U	d _L	d _U	d _L	d _U	d _L	d _U	d _L	d _U	d _L	d _U	d _L	d _U	d _L	d _U
16	0.098	3.503	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	0.138	3.378	0.087	3.557	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	0.177	3.265	0.123	3.441	0.078	3.603	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	0.220	3.159	0.160	3.335	0.111	3.496	0.070	3.642	—	—	—	—	—	—	—	—	—	—	—	—
20	0.263	3.063	0.200	3.234	0.145	3.395	0.100	3.542	0.063	3.676	—	—	—	—	—	—	—	—	—	—
21	0.307	2.976	0.240	3.141	0.182	3.300	0.132	3.448	0.091	3.593	0.058	3.705	—	—	—	—	—	—	—	—
22	0.347	2.897	0.281	3.057	0.220	3.211	0.166	3.358	0.120	3.493	0.083	3.619	0.012	3.731	—	—	—	—	—	—
23	0.391	2.826	0.322	2.979	0.259	3.128	0.202	3.272	0.153	3.409	0.110	3.535	0.076	3.650	0.048	3.753	—	—	—	—
24	0.431	2.761	0.362	2.908	0.297	3.053	0.239	3.193	0.186	3.327	0.141	3.454	0.101	3.572	0.070	3.678	0.041	3.773	—	—
25	0.470	2.702	0.400	2.844	0.335	2.983	0.275	3.119	0.221	3.251	0.172	3.376	0.130	3.494	0.094	3.604	0.065	3.792	0.041	3.790
26	0.508	2.647	0.433	2.784	0.373	2.919	0.312	3.051	0.256	3.179	0.205	3.303	0.160	3.420	0.120	3.531	0.087	3.632	0.060	3.724
27	0.544	2.600	0.475	2.730	0.409	2.859	0.348	2.987	0.291	3.112	0.238	3.233	0.191	3.347	0.149	3.460	0.112	3.563	0.081	3.658
28	0.578	2.555	0.510	2.680	0.445	2.805	0.383	2.928	0.325	3.050	0.271	3.168	0.222	3.283	0.178	3.372	0.134	3.495	0.104	3.592
29	0.612	2.515	0.544	2.634	0.479	2.753	0.418	2.871	0.357	2.992	0.305	3.107	0.254	3.219	0.208	3.327	0.166	3.431	0.129	3.529
30	0.643	2.477	0.577	2.592	0.512	2.708	0.451	2.823	0.392	2.937	0.337	3.050	0.286	3.160	0.238	3.266	0.195	3.368	0.156	3.465
31	0.674	2.443	0.608	2.553	0.545	2.665	0.484	2.776	0.425	2.887	0.370	2.996	0.317	3.103	0.259	3.208	0.221	3.309	0.183	3.426
32	0.703	2.411	0.638	2.517	0.576	2.625	0.515	2.733	0.457	2.840	0.401	2.946	0.347	3.050	0.299	3.153	0.253	3.252	0.211	3.349
33	0.731	2.382	0.668	2.484	0.606	2.588	0.546	2.692	0.488	2.796	0.432	2.897	0.377	3.060	0.329	3.100	0.283	3.193	0.239	3.293
34	0.758	2.355	0.695	2.454	0.634	2.554	0.575	2.654	0.514	2.751	0.462	2.854	0.409	2.954	0.359	3.051	0.312	3.147	0.267	3.240
35	0.783	2.330	0.722	2.425	0.662	2.521	0.604	2.619	0.547	2.716	0.492	2.813	0.437	2.910	0.388	3.005	0.340	3.099	0.295	3.190
36	0.808	2.306	0.748	2.398	0.689	2.492	0.631	2.586	0.575	2.680	0.520	2.771	0.467	2.868	0.417	2.961	0.369	3.053	0.323	3.142
37	0.831	2.285	0.772	2.374	0.714	2.464	0.657	2.555	0.602	2.646	0.548	2.733	0.495	2.829	0.445	2.920	0.397	3.009	0.351	3.097
38	0.854	2.265	0.796	2.351	0.739	2.438	0.683	2.526	0.628	2.614	0.575	2.703	0.522	2.792	0.472	2.880	0.424	2.968	0.378	3.054
39	0.875	2.246	0.819	2.329	0.763	2.413	0.707	2.497	0.653	2.585	0.600	2.671	0.547	2.757	0.499	2.843	0.451	2.929	0.404	3.013
40	0.896	2.228	0.840	2.309	0.785	2.391	0.731	2.473	0.678	2.557	0.626	2.641	0.575	2.724	0.525	2.808	0.477	2.892	0.430	2.974
45	0.998	2.156	0.938	2.225	0.887	2.296	0.838	2.367	0.788	2.437	0.740	2.512	0.692	2.596	0.614	2.639	0.598	2.733	0.551	2.807
50	1.064	2.103	1.019	2.163	0.973	2.225	0.927	2.287	0.882	2.350	0.836	2.414	0.792	2.479	0.717	2.544	0.703	2.610	0.660	2.675
55	1.129	2.062	1.087	2.116	1.045	2.170	1.003	2.225	0.961	2.281	0.919	2.338	0.877	2.396	0.836	2.454	0.795	2.512	0.751	2.571
60	1.184	2.031	1.145	2.079	1.106	2.127	1.068	2.177	1.029	2.227	0.970	2.278	0.951	2.330	0.913	2.392	0.874	2.434	0.836	2.487
65	1.231	2.006	1.195	2.047	1.160	2.093	1.124	2.138	1.088	2.183	1.052	2.229	1.016	2.276	0.931	2.323	0.944	2.371	0.908	2.419
70	1.272	1.986	1.239	2.026	1.206	2.066	1.172	2.106	1.139	2.148	1.105	2.189	1.072	2.232	1.039	2.275	1.005	2.318	0.971	2.362
75	1.308	1.970	1.277	2.006	1.247	2.043	1.215	2.080	1.184	2.118	1.153	2.156	1.121	2.195	1.090	2.235	1.058	2.275	1.027	2.315
80	1.340	1.957	1.311	1.991	1.283	2.024	1.253	2.059	1.224	2.093	1.195	2.129	1.165	2.165	1.136	2.231	1.106	2.238	1.076	2.275
85	1.369	1.946	1.342	1.977	1.315	2.009	1.287	2.040	1.260	2.073	1.232	2.105	1.205	2.139	1.177	2.172	1.149	2.206	1.121	2.241
90	1.395	1.937	1.369	1.966	1.344	1.995	1.318	2.025	1.292	2.055	1.266	2.085	1.240	2.116	1.213	2.148	1.187	2.179	1.160	2.211
95	1.418	1.929	1.394	1.956	1.370	1.984	1.345	2.012	1.321	2.040	1.296	2.068	1.271	2.097	1.247	2.126	1.222	2.156	1.197	2.186
100	1.439	1.923	1.416	1.948	1.393	1.974	1.371	2.000	1.347	2.026	1.324	2.053	1.301	2.080	1.277	2.108	1.253	2.135	1.229	2.164
150	1.579	1.892	1.564	1.908	1.550	1.924	1.535	1.910	1.519	1.956	1.504	1.972	1.489	1.939	1.474	2.006	1.458	2.023	1.443	2.040
200	1.654	1.885	1.643	1.896	1.632	1.908	1.621	1.919	1.610	1.931	1.599	1.943	1.588	1.955	1.576	1.967	1.565	1.979	1.554	1.991

Note: n = number of observations, k' = number of explanatory variables excluding the constant term.
 Source: This table is an extension of the original Durbin-Watson table and reproduced from S. L. Sargan and K. J. White, "The Durbin-Watson Test for Serial Correlation with Extreme Small Samples or Many Regressors," *Econometrica*, vol. 45, November 1977, pp. 1389-96 and also reprinted by R. W. Cochrane, *Econometrica*, vol. 48, September 1980, p. 1554. Reprinted by permission of the Econometric Society.

EXAMPLE 1

If $n = 40$ and $k' = 4$, $d_L = 1.285$ and $d_U = 1.721$. If a computed d value is less than 1.285, there is evidence of positive first-order serial correlation; if it is greater than 1.721, there is no evidence of positive first-order serial correlation; but if d lies between the lower and the upper limit, there is inconclusive evidence regarding the presence or absence of positive first-order serial correlation.

Durbin-Watson d Statistic: Significance Points of d_L and d_U at 0.01 Level of Significance

n	k=1		k=2		k=3		k=4		k=5		k=6		k=7		k=8		k=9		k=10	
	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U
6	0.370	1.142	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	0.435	1.036	0.294	1.676	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	0.477	1.003	0.345	1.489	0.229	2.102	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	0.554	0.998	0.408	1.389	0.279	1.875	0.183	2.433	—	—	—	—	—	—	—	—	—	—	—	—
10	0.604	1.001	0.466	1.333	0.340	1.733	0.230	2.193	0.150	2.690	—	—	—	—	—	—	—	—	—	—
11	0.653	1.010	0.519	1.297	0.396	1.640	0.286	2.030	0.193	2.453	0.124	2.892	—	—	—	—	—	—	—	—
12	0.697	1.023	0.569	1.274	0.449	1.575	0.339	1.913	0.244	2.280	0.164	2.665	0.105	3.053	—	—	—	—	—	—
13	0.738	1.038	0.616	1.261	0.499	1.526	0.391	1.826	0.294	2.150	0.211	2.490	0.140	2.838	0.090	3.182	—	—	—	—
14	0.776	1.054	0.660	1.254	0.547	1.490	0.441	1.757	0.343	2.049	0.257	2.354	0.183	2.667	0.122	2.981	0.078	3.297	—	—
15	0.811	1.070	0.700	1.252	0.591	1.464	0.488	1.704	0.391	1.967	0.303	2.244	0.226	2.530	0.161	2.817	0.107	3.101	0.068	3.374
16	0.844	1.086	0.737	1.252	0.633	1.446	0.532	1.663	0.437	1.900	0.349	2.153	0.269	2.416	0.200	2.681	0.142	2.944	0.094	3.201
17	0.874	1.102	0.772	1.255	0.672	1.432	0.574	1.630	0.480	1.847	0.393	2.078	0.313	2.319	0.241	2.566	0.179	2.811	0.127	3.053
18	0.902	1.118	0.805	1.259	0.708	1.422	0.613	1.604	0.522	1.803	0.435	2.015	0.355	2.238	0.282	2.467	0.216	2.697	0.160	2.925
19	0.928	1.132	0.835	1.265	0.742	1.415	0.650	1.584	0.561	1.767	0.476	1.963	0.396	2.169	0.322	2.381	0.255	2.597	0.196	2.813
20	0.952	1.147	0.863	1.271	0.773	1.411	0.685	1.567	0.598	1.737	0.515	1.918	0.436	2.110	0.362	2.308	0.294	2.510	0.232	2.714
21	0.975	1.161	0.890	1.277	0.803	1.408	0.718	1.554	0.633	1.712	0.552	1.881	0.474	2.059	0.400	2.244	0.331	2.434	0.268	2.625
22	0.997	1.174	0.914	1.284	0.831	1.407	0.748	1.543	0.667	1.691	0.587	1.849	0.510	2.015	0.437	2.188	0.368	2.367	0.304	2.548
23	1.018	1.187	0.938	1.291	0.858	1.407	0.777	1.534	0.698	1.673	0.620	1.821	0.545	1.977	0.473	2.140	0.404	2.308	0.340	2.479
24	1.037	1.199	0.960	1.298	0.882	1.407	0.805	1.528	0.722	1.658	0.652	1.797	0.578	1.944	0.507	2.097	0.439	2.255	0.375	2.417
25	1.055	1.211	0.981	1.305	0.906	1.409	0.831	1.523	0.756	1.645	0.682	1.776	0.610	1.915	0.540	2.059	0.473	2.209	0.409	2.362
26	1.072	1.222	1.001	1.312	0.928	1.411	0.855	1.518	0.783	1.635	0.711	1.759	0.640	1.889	0.572	2.026	0.505	2.168	0.441	2.313
27	1.089	1.233	1.019	1.319	0.949	1.413	0.878	1.515	0.808	1.626	0.738	1.743	0.669	1.867	0.602	1.997	0.536	2.131	0.473	2.269
28	1.104	1.244	1.037	1.325	0.969	1.415	0.900	1.513	0.832	1.618	0.764	1.729	0.696	1.847	0.630	1.970	0.566	2.098	0.504	2.229
29	1.119	1.254	1.054	1.332	0.988	1.418	0.921	1.512	0.855	1.611	0.788	1.718	0.723	1.830	0.658	1.947	0.595	2.068	0.533	2.193
30	1.133	1.263	1.070	1.339	1.006	1.421	0.941	1.511	0.877	1.606	0.812	1.707	0.748	1.814	0.684	1.925	0.622	2.041	0.562	2.160
31	1.147	1.273	1.085	1.345	1.023	1.425	0.960	1.510	0.897	1.601	0.834	1.698	0.772	1.800	0.710	1.906	0.649	2.017	0.589	2.131
32	1.160	1.282	1.100	1.352	1.040	1.428	0.979	1.510	0.917	1.597	0.856	1.690	0.794	1.788	0.734	1.889	0.674	1.995	0.615	2.104
33	1.172	1.291	1.114	1.358	1.055	1.432	0.996	1.510	0.936	1.594	0.876	1.683	0.816	1.776	0.757	1.874	0.698	1.975	0.641	2.080
34	1.184	1.299	1.128	1.364	1.070	1.435	1.012	1.511	0.954	1.591	0.896	1.677	0.837	1.766	0.779	1.860	0.722	1.957	0.665	2.057
35	1.195	1.307	1.140	1.370	1.085	1.439	1.028	1.512	0.971	1.589	0.914	1.671	0.857	1.757	0.800	1.847	0.744	1.940	0.689	2.037
36	1.206	1.315	1.153	1.376	1.098	1.442	1.043	1.513	0.988	1.588	0.932	1.666	0.877	1.749	0.821	1.836	0.766	1.925	0.711	2.018
37	1.217	1.323	1.165	1.382	1.112	1.446	1.058	1.514	1.004	1.586	0.950	1.662	0.895	1.742	0.841	1.825	0.787	1.911	0.733	2.001
38	1.227	1.330	1.176	1.388	1.124	1.449	1.072	1.515	1.019	1.585	0.956	1.658	0.913	1.735	0.860	1.816	0.807	1.899	0.754	1.985
39	1.237	1.337	1.187	1.393	1.137	1.453	1.085	1.517	1.034	1.584	0.982	1.655	0.930	1.729	0.878	1.807	0.826	1.887	0.774	1.970
40	1.246	1.344	1.198	1.398	1.148	1.457	1.098	1.518	1.048	1.584	0.997	1.652	0.946	1.724	0.895	1.799	0.844	1.876	0.749	1.956
45	1.288	1.376	1.245	1.423	1.201	1.474	1.156	1.528	1.111	1.584	1.065	1.643	1.019	1.704	0.974	1.768	0.927	1.834	0.881	1.932
50	1.324	1.403	1.285	1.446	1.245	1.491	1.205	1.538	1.164	1.587	1.123	1.639	1.081	1.692	1.039	1.748	0.997	1.805	0.955	1.864
55	1.356	1.427	1.320	1.466	1.284	1.506	1.247	1.548	1.209	1.592	1.172	1.638	1.134	1.685	1.095	1.734	1.057	1.785	1.018	1.837
60	1.383	1.449	1.350	1.484	1.317	1.520	1.283	1.558	1.249	1.598	1.214	1.639	1.179	1.682	1.144	1.726	1.108	1.771	1.072	1.817
65	1.407	1.465	1.377	1.500	1.346	1.534	1.315	1.568	1.283	1.604	1.251	1.642	1.218	1.680	1.186	1.720	1.153	1.761	1.120	1.802
70	1.429	1.485	1.400	1.515	1.372	1.546	1.343	1.578	1.313	1.611	1.283	1.645	1.253	1.680	1.223	1.716	1.192	1.754	1.162	1.792
75	1.448	1.501	1.422	1.529	1.395	1.557	1.368	1.587	1.340	1.617	1.313	1.649	1.284	1.682	1.256	1.714	1.227	1.743	1.199	1.783
80	1.466	1.515	1.441	1.541	1.416	1.568	1.390	1.595	1.364	1.624	1.338	1.653	1.312	1.683	1.285	1.714	1.259	1.745	1.232	1.777
85	1.482	1.528	1.458	1.553	1.435	1.578	1.411	1.603	1.386	1.630	1.362	1.657	1.337	1.685	1.312	1.714	1.287	1.743	1.262	1.773
90	1.496	1.540	1.474	1.563	1.452	1.587	1.429	1.611	1.406	1.636	1.383	1.661	1.360	1.687	1.336	1.714	1.312	1.741	1.288	1.769
95	1.510	1.552	1.489	1.573	1.468	1.596	1.446	1.618	1.425	1.642	1.403	1.666	1.381	1.690	1.358	1.715	1.336	1.741	1.313	1.767
100	1.522	1.562	1.503	1.583	1.482	1.604	1.462	1.625	1.441	1.647	1.421	1.670	1.400	1.693	1.378	1.717	1.357	1.741	1.335	1.765
150	1.611	1.637	1.598	1.651	1.584	1.665	1.571	1.679	1.557	1.693	1.543	1.708	1.530	1.722	1.515	1.737	1.501	1.752	1.486	1.767
200	1.664	1.684	1.653	1.693	1.643	1.704	1.633	1.715	1.623	1.725	1.613	1.735	1.603	1.746	1.592	1.757	1.582	1.768	1.571	1.779

n	k' = 11		k' = 12		k' = 13		k' = 14		k' = 15		k' = 16		k' = 17		k' = 18		k' = 19		k' = 20		
	d ₁	d ₂	d ₁	d ₂	d ₁	d ₂	d ₁	d ₂	d ₁	d ₂	d ₁	d ₂	d ₁	d ₂	d ₁	d ₂	d ₁	d ₂	d ₁	d ₂	
16	0.060	3.446																			
17	0.034	3.286	0.053	3.506																	
18	0.113	3.146	0.075	3.358	0.047	3.357															
19	0.145	3.024	0.102	3.227	0.067	3.423	0.043	3.601													
20	0.174	2.914	0.131	3.109	0.092	3.297	0.061	3.174	0.033	3.637											
21	0.212	2.817	0.162	3.071	0.117	3.185	0.084	3.354	0.055	3.521	0.035	3.671									
22	0.246	2.727	0.194	2.909	0.143	3.081	0.107	3.252	0.077	3.412	0.050	3.562	0.032	3.703							
23	0.281	2.651	0.227	2.822	0.178	2.971	0.136	3.155	0.100	3.311	0.070	3.459	0.046	3.597	0.029	3.725					
24	0.315	2.580	0.260	2.744	0.209	2.905	0.165	3.065	0.125	3.215	0.092	3.363	0.065	3.531	0.043	3.629	0.027	3.747			
25	0.348	2.517	0.292	2.674	0.242	2.827	0.194	2.932	0.152	3.131	0.116	3.274	0.085	3.410	0.060	3.538	0.039	3.657	0.025	3.756	
26	0.381	2.460	0.324	2.610	0.272	2.753	0.224	2.905	0.183	3.053	0.141	3.171	0.107	3.325	0.079	3.452	0.055	3.572	0.036	3.682	
27	0.413	2.409	0.356	2.552	0.303	2.674	0.253	2.836	0.208	2.976	0.167	3.113	0.131	3.245	0.100	3.371	0.073	3.499	0.051	3.692	
28	0.444	2.363	0.387	2.499	0.333	2.635	0.283	2.772	0.237	2.937	0.194	3.043	0.156	3.169	0.122	3.294	0.093	3.412	0.068	3.524	
29	0.474	2.321	0.417	2.447	0.363	2.582	0.313	2.713	0.266	2.843	0.222	2.972	0.182	3.093	0.146	3.220	0.114	3.338	0.087	3.450	
30	0.503	2.283	0.447	2.407	0.393	2.533	0.342	2.659	0.294	2.735	0.247	2.851	0.234	2.970	0.166	3.087	0.160	3.291	0.129	3.379	
31	0.531	2.248	0.475	2.367	0.422	2.487	0.371	2.609	0.322	2.730	0.277	2.831	0.261	2.912	0.221	3.026	0.184	3.137	0.151	3.311	
32	0.558	2.216	0.503	2.330	0.450	2.446	0.399	2.563	0.350	2.680	0.304	2.797	0.289	2.912	0.249	2.969	0.209	3.078	0.174	3.184	
33	0.585	2.187	0.530	2.296	0.477	2.408	0.426	2.520	0.377	2.633	0.331	2.746	0.313	2.858	0.272	2.915	0.233	3.022	0.197	3.126	
34	0.610	2.160	0.556	2.266	0.503	2.373	0.452	2.481	0.404	2.590	0.353	2.651	0.337	2.761	0.297	2.865	0.257	2.969	0.221	3.071	
35	0.634	2.136	0.581	2.237	0.529	2.343	0.478	2.444	0.431	2.550	0.383	2.621	0.364	2.717	0.322	2.818	0.280	2.917	0.244	3.019	
36	0.658	2.113	0.605	2.210	0.554	2.310	0.504	2.411	0.455	2.512	0.409	2.614	0.389	2.675	0.347	2.774	0.305	2.872	0.268	2.967	
37	0.680	2.092	0.628	2.186	0.578	2.282	0.528	2.379	0.480	2.477	0.434	2.576	0.414	2.637	0.371	2.733	0.330	2.823	0.291	2.923	
38	0.702	2.073	0.651	2.164	0.601	2.256	0.552	2.350	0.504	2.454	0.482	2.507	0.438	2.600	0.395	2.694	0.354	2.787	0.315	2.879	
39	0.723	2.055	0.673	2.143	0.623	2.232	0.575	2.323	0.528	2.411	0.482	2.507	0.438	2.600	0.395	2.694	0.354	2.787	0.315	2.879	
40	0.744	2.039	0.694	2.123	0.645	2.210	0.597	2.297	0.551	2.385	0.505	2.476	0.461	2.566	0.418	2.657	0.377	2.748	0.338	2.838	
45	0.835	1.972	0.729	2.044	0.744	2.143	0.700	2.123	0.655	2.257	0.617	2.346	0.573	2.424	0.523	2.503	0.438	2.587	0.448	2.661	
50	0.913	1.925	0.871	1.987	0.829	2.051	0.787	2.116	0.746	2.182	0.705	2.250	0.665	2.318	0.625	2.387	0.586	2.455	0.548	2.526	
55	0.979	1.871	0.940	1.945	0.902	2.002	0.853	2.057	0.825	2.117	0.736	2.176	0.748	2.237	0.711	2.293	0.674	2.359	0.637	2.421	
60	1.037	1.865	1.001	1.914	0.965	1.984	0.929	2.015	0.893	2.067	0.857	2.123	0.822	2.173	0.796	2.227	0.751	2.233	0.716	2.338	
65	1.087	1.845	1.053	1.899	1.029	1.934	0.985	1.991	0.953	2.027	0.919	2.075	0.886	2.123	0.852	2.172	0.819	2.221	0.736	2.272	
70	1.131	1.831	1.097	1.870	1.068	1.911	1.037	1.953	1.005	1.975	0.974	2.034	0.943	2.082	0.911	2.127	0.840	2.172	0.849	2.217	
75	1.170	1.810	1.141	1.856	1.111	1.893	1.082	1.931	1.052	1.970	1.023	2.059	0.973	2.049	0.944	2.090	0.934	2.131	0.905	2.172	
80	1.205	1.810	1.177	1.844	1.150	1.878	1.122	1.913	1.074	1.917	1.066	1.934	1.039	2.022	1.011	2.059	0.943	2.097	0.955	2.135	
85	1.236	1.803	1.210	1.834	1.184	1.866	1.158	1.878	1.132	1.911	1.106	1.965	1.030	1.977	1.021	2.012	1.066	2.044	1.041	2.077	
90	1.264	1.798	1.240	1.827	1.215	1.856	1.191	1.836	1.166	1.917	1.141	1.948	1.116	1.979	1.071	2.012	1.102	2.023	1.079	2.054	
95	1.290	1.793	1.267	1.821	1.244	1.843	1.221	1.876	1.197	1.935	1.174	1.934	1.150	1.963	1.125	1.977	1.136	2.006	1.113	2.034	
100	1.314	1.790	1.292	1.816	1.270	1.841	1.249	1.868	1.225	1.875	1.203	1.922	1.181	1.949	1.153	1.977	1.136	2.006	1.113	2.034	
150	1.473	1.783	1.458	1.799	1.444	1.814	1.429	1.830	1.414	1.817	1.400	1.863	1.385	1.882	1.370	1.897	1.355	1.913	1.340	1.931	
200	1.561	1.771	1.550	1.801	1.537	1.813	1.523	1.824	1.518	1.836	1.507	1.847	1.493	1.860	1.484	1.871	1.474	1.883	1.462	1.896	

Note. n = number of observations.
 k' = number of explanatory variables excluding the constant term.
 Source: Savin and White, op. cit., by permission of the Econometric Society.



Correction sheet

Date: 8/01/2018

Room: Värtasalen

Course: Econometrics (eng)

Exam: Econometrics I (eng)

Anonymous code:

EK1-TUW-BKW

I authorise the anonymous posting of my exam, in whole or in part, on the department homepage as a sample student answer.

NOTE! ALSO WRITE ON THE BACK OF THE ANSWER SHEET

Mark answered questions

	1	2	3	4	5	6	7	8	9	Total number of pages
	X	X	X	X	X					4 22
Teacher's notes	19	24	3	20	0					

Points	Grade	Teacher's sign.
66	D	

TASK 1

$$Y_t = \beta_1 + \beta_2 t + u_t, \text{ where } t = 1, 2, 3, \dots, T$$

$$b = \frac{Y_T - Y_1}{T-1}$$

A. $Y_T = \beta_1 + \beta_2 T + u_T$

$$Y_1 = \beta_1 + \beta_2 + u_1$$

$$Y_T - Y_1 = \beta_1 + \beta_2 T + u_T - (\beta_1 + \beta_2 + u_1) =$$

$$\cancel{\beta_1} + \beta_2 T + u_T - \cancel{\beta_1} - \beta_2 + u_1 =$$

$$\beta_2 T - \beta_2 + u_T - u_1 =$$

$$\beta_2 (T-1) + u_T - u_1$$

$$E(b) = E\left(\frac{Y_T - Y_1}{T-1}\right) = E\left(\frac{\beta_2 (T-1) + u_T + u_1}{T-1}\right) =$$

$$\frac{1}{T-1} E(\beta_2 (T-1)) + \underbrace{E(u_T)}_{=0} + \underbrace{E(u_1)}_{=0} =$$

$$\frac{1}{T-1} E(\beta_2 (T-1)) = \frac{T-1}{T-1} E(\beta_2) = \beta_2$$

Eftersom $E(b) = \beta_2$ så är vår estimator VV. 8

B. $V(b) = V\left(\frac{Y_T - Y_1}{T-1}\right) = V\left(\frac{\beta_2 (T-1) + u_T + u_1}{T-1}\right) = \frac{1}{(T-1)^2} (V(\beta_2 (T-1)) + \underbrace{V(u_T)}_{=\sigma^2} + \underbrace{V(u_1)}_{=\sigma^2})$

$$= \frac{2\sigma^2}{(T-1)^2}$$

Uncorrel
5

C. $V(\beta_2) = \frac{\sigma^2}{\sum (x_i - \bar{x})^2} = \frac{\sigma^2}{\sum (t_i - \bar{t})^2} \quad (T=5) \quad \bar{t}=3$

$$\sum (t_i - \bar{t})^2 = 4 + 1 + 0 + 1 + 4 = 10$$

$$V(\beta_2) = \frac{\sigma^2}{10} \quad V(b) = \frac{2\sigma^2}{(T-1)^2} = \frac{2\sigma^2}{(5-1)^2} = \frac{2\sigma^2}{16} = \frac{\sigma^2}{8}$$

$$\frac{\frac{\sigma^2}{10}}{\frac{\sigma^2}{8}} = \frac{\sigma^2 \cdot 8}{10 \sigma^2} = \frac{8\sigma^2}{10\sigma^2} = \frac{8}{10} = 0.8$$

Svar: Den relativa effektiviteten är 0.8 6

9

TASK 2

$$Y = \beta_1 + \beta_2 X_2 + \beta_3 X_3 + u$$

A. ESS = 522.45 när vi bara använder X_2 som en förklarande variabel

$$RSS_{X_2} = 533.43 - 522.45 = 10.98$$

$$\bar{R}^2 = 1 - \frac{RSS/(n-k)}{TSS/(n-1)} = 1 - \frac{10.98/5}{533.43/6} = 0.975$$

Svar: R -sq (adj) = 97.5% Detta värde kan ha blivit högre då den tar hänsyn till antalet parametrar i modellen och anser då att endast X_2 förklarar variationen i Y lite bättre än när vi inkluderar både X_2 och X_3

B. Formal F-test.

$$H_0: \beta_2 = \beta_3 = 0 \quad H_a: \text{Minst en skiljer sig åt} \neq 0 \quad \alpha = 0.05$$

$$F = \frac{ESS/(k-1)}{RSS/(n-k)} \sim F(k-1, n-k)$$

Vi förkastar H_0 om $F_{obs} > F(2, 4) = 6.94$

$$F_{obs} = \frac{522.81/2}{10.62/4} = 98.46$$

Svar: Eftersom $F_{obs} > 6.94$ så förkastar vi H_0 på signifikansnivån $\alpha = 0.05$. Detta innebär att vi behöver minst en av de förklarande variablerna i modellen.

C. Test för $\hat{\beta}_2$

$$H_0: \beta_2 = 0 \quad H_a: \beta_2 \neq 0 \quad \alpha = 0.05$$

$t_{\alpha/2}^{(n-k)}$ Vi förkastar H_0 om $|t_{obs}| > t_{0.025}^{(4)} = 2.776$

$$t = \frac{\hat{\beta}_2 - \beta_0}{SE(\hat{\beta}_2)} = \frac{1.3436}{0.7948} = 1.69 \quad |t_{obs}| < 2.776 \Rightarrow \text{Behåll } H_0$$

Test för $\hat{\beta}_3$

$$H_0: \beta_3 = 0 \quad H_a: \beta_3 \neq 0 \quad \alpha = 0.05$$

Vi förkastar H_0 om $|t_{obs}| > t_{0.025}^{(4)} = 2.776$

$$t = \frac{\hat{\beta}_3 - \beta_0}{SE(\hat{\beta}_3)} = \frac{0.2791}{0.7592} = 0.37 \quad |t_{obs}| < 2.776 \Rightarrow \text{Behåll } H_0$$

VÄND \rightarrow

C. fort.

Svar: Vi kan se i våra t-test att de t-observerade värdena är i båda fallen mindre än det kritiska värdet och därför vill vi behålla nollhypotesen om att de inte är signifikant skilda från 0. Men detta säger emot vårt F-test i uppgift b där vi drog slutsatsen om att vi behöver minst en av de förklarande variablerna i vår modell.

Detta kan då bero på att vi har kolinjäritet i vår modell, dvs att våra x-variabler är korrelerade med varandra

8

D.
$$VIF = \frac{1}{1-R^2} = \frac{1}{1-0.975} = 40$$

$$\sqrt{40} = 6.32$$

0

~~24~~

TASK 3

Dom två antagandena som inte stämmer överens med en simple linjär regression är

$$c) E(u_i | X_i) = 0$$

och

$$d) E(Y|X) = \beta_1 + \beta_2 X_2 + u_i$$

3

TASK 4.

$$\ln\left(\frac{D_{i98}}{F_{i98}}\right) = \beta_1 + \beta_2 \ln Y_{i98} + \beta_3 \text{Price}_{i98} + \beta_4 T_{i98} + \beta_5 T_{i98}^2 + \beta_6 I_{2,i98} + \beta_7 I_{3,i98} + u_{i98}$$

A. β_3 är förändringen av hushållens konsumtion av el för dom som har fått lite rådgivning (kategori 1) när priset på elen förändras i kommunen givet att medelinkomsten och temperaturen hålls konstant.

B. β_7 är hur mycket hushållens konsumtion av el förändras, när man studerar dom som fått mycket rådgivning om el (kategori 3), jämfört med dom som fått lite rådgivning (kategori 1). Givet att phs, medelinkomst och temperatur hålls konstant.

C. Det har utförts ett test i fall rådgivningen om el inte har någon effekt på hushållens konsumtion av el. Dvs, man har testat i fall vi behöver indikatorvariablerna eller inte.

$H_0: \beta_6 = \beta_7 = 0$ H_a : Minst en skiljer sig åt $\alpha = 0.05$

$$F = \frac{(ESS_{\text{new}} - ESS_{\text{old}}) / \text{number of new regressors}}{RSS_{\text{new}} / (n - \text{number of parameters in the new model})} \sim F$$

Vi förkastar H_0 om $F_{\text{obs}} > F_{(2, 235)} \approx F_{(2, 200)} = 3.89$

$$F = 1.0924$$

Svar: Vi kan inte förkasta H_0 då $F_{\text{obs}} < 3.89$

vilket innebär att energi rådgivningen inte har någon effekt på hur mycket el som hushållen konsumerar.

D. Indikatorvariablerna i kvadrat utesluts från testet eftersom att vi vet att dessa inte har någon påverkan på modellen.

E. Vi kommer att göra White's test för att testa om heteroskedasticitet föreligger i modellen.

H_0 : Homoskedasticitet H_a : Heteroskedasticitet $\alpha = 0.05$

$$nR^2 \sim \text{approx } \chi^2(2(k-1))$$

Vi förkastar H_0 om $\chi^2_{\text{obs}} > \chi^2_{0.05}(12) = 21.0261$

$$\frac{242}{252} \cdot 0.058 = 14.616$$

Svar: $\chi^2_{\text{obs}} < 21.0261$ vilket gör att vi inte kan förkasta H_0 .

Utifrån detta drar vi slutsatsen om att vår modell är homoskedastisk.

TASK 5

Y	X
3	2
6	5
7	7
7	8

$$\bar{x} = 6$$

$$\bar{y} = 6$$

$$Y_i = \beta_1 + \beta_2 X_{2i} + W_i$$

$$\sum Y_i X_i = 6 + 48 + 35 + 49 + 56 = 194$$

$$\sum X_i^2 = 4 + 64 + 25 + 49 + 64 = 206$$

$$\hat{\beta}_2 = \frac{194}{206} = 0.9417$$

$$\hat{\beta}_1 = 6 - 0.9417 \cdot 6 = 0.3498$$

$$\text{När } x = 5$$

$$y = 0.3498 + 0.9417 \cdot 5 = 5.0583$$

Regressionslinjen går igenom punkten

$$(Y_0 = 5, X_0 = 5)$$