

Patrick Michael Crill
Department of Geological Sciences
Stockholm University

Publications

Books, Chapters and Studies:

- Lindroth, A. and P. Crill (2011). Boreal forest hydrology and biogeochemistry. Chapt 9 in: *Forest Hydrology and Biogeochemistry: Synthesis of Research and Future Directions*, Ecological Studies Series, Springer.
- Dise, N.B., N.J. Shurpali, P. Weishampel, S.B. Verma, E.S. Verry, E. Gorham, P.M. Crill, R.C. Harriss, C.A. Kelley, J.B. Yavitt, K.A. Smemo, R.K. Kolka, K. Smith, J. Kim, R.J. Clement, T.J. Arkebauer, K.B. Bartlett, D.P. Billesbach, S.D. Bridgham, A.E. Elling, P.A. Flebbe, J.Y. King, C.S. Martens, D.I. Sebacher, C.J. Williams and R.K. Wieder (2011). Carbon Emissions in Peatlands. Chapt.10 in: *Peatland Biogeochemistry and Watershed Hydrology at the Marcell Experimental Forest*, R. Kolka, S. Sebestyen, E.S. Verry and K. Brooks (eds.) CRC Press, New York.
- Crill, P. (2009) Fluxes and budgets, GHG feedbacks of palsa mires. In: *Climate Change Impacts on Sub-arctic Palsa mires and Greenhouse Gas Feedbacks*, S. Fronzek et al. (eds). Reports Finn. Environ. Inst. 3: 27-29.
- Jackowicz-Korczyński, M., T.R. Christensen, T. Friborg, P.M Crill and L. Ström (2009). CH₄ exchange over Stordalen Mire by EC technique. In: *Climate Change Impacts on Sub-arctic Palsa mires and Greenhouse Gas Feedbacks*, S. Fronzek et al. (eds). Reports Finn. Environ. Inst. 3: 32-35.
- Friborg, T., T. Johansson, M. Jackowicz-Korczyński, T.R. Christensen and P.M Crill (2009). Palsa mires – CO₂ exchange from Stordalen Mire. In: *Climate Change Impacts on Sub-arctic Palsa mires and Greenhouse Gas Feedbacks*, S. Fronzek et al. (eds). Reports Finn. Environ. Inst. 3: 36-40.
- Christensen, T.R., T. Johansson, M. Olsrud, L. Ström, A. Lindroth, M. Mastepanov, N. Malmer, T. Friborg, P.M Crill and T. Callaghan (2009). A catchment scale process study of carbon and greenhouse gas exchange in a subarctic landscape. In: *Climate Change Impacts on Sub-arctic Palsa mires and Greenhouse Gas Feedbacks*, S. Fronzek et al. (eds). Reports Finn. Environ. Inst. 3: 41-43.
- Enrich-Prast, A., D. Bastviken and P.M. Crill (2009). Chemosynthesis. In: *Encyclopedia of Inland Waters*. vol. 3, GE Likens (Ed.), pp. 211-225 Oxford: Elsevier, Ltd.
- Crill, PM and A Riise (2005) Assessment of local sources of methane from biomass burning in Lycksele town. BHM Report P21851-1 Sverige Energimyndighetens.

Peer Reviewed Papers:

198. Wilson, S.T., A.N. Al-Haj, A. Bourbonnais, C. Frey, R.W. Fulweiler, J.D. Kessler, H.K. Marchant, J. Milucka, N.E. Ray, P. Suntharalingham, B.F. Thornton, R.C. Upstill-Goddard, T.S. Weber, D.L. Arévalo-Martínez, H.W. Bange, H.M. Benway, D. Bianchi, A.V. Borges, B.X. Chang, P.M. Crill, D.A. del Valle, L. Farías, S.B. Joye, A. Kock, J. Labidi, C-C. Manning, J.W. Pohlman, G. Rehder, K.J. Sparrow, P.D. Tortell, T. Treude, D.L. Valentine, B.B. Ward, S. Yang and L.N. Yurganov (2020). Ideas and perspectives: A strategic assessment of methane and nitrous oxide measurements in the marine environment. *Biogeosciences* doi: 10.5194/bg-17-5809-2020.
197. Seco, R., T. Holst, M.S. Matzen, A. Westergaard-Nielsen, T. Li, T. Simin, J. Jansen, P. Crill, T. Friborg, J. Rinne and R. Rinnan (2020). Volatile Organic Compound fluxes in a subarctic peatland and lake. *Atmos. Chem. Phys.* doi: 10.5194/acp-20-13399-2020
196. Bond-Lamberty, B, D.S. Christianson, A. Malhotra, S.C. Pennington, D. Sihi, A. AghaKouchak, H. Anjileli, M. A. Arain, J.J. Armesto, S. Ashraf, M. Ataka, D. Baldocchi, T.A. Black, N. Buchmann, M.S. Carbone, S.C. Chang, P. Crill, P.S. Curtis, E.A. Davidson, A.R. Desai, J. Drake, T.S. El-Madany, M. Gavazzi, C.M. Görres, C.M. Gough, M- Goulden, J. Gregg, O. Gutiérrez del Arroyo, J.-S. He, T Hirano, A. Hopple, H. Hughes, J. Järveoja, R. Jassal, J. Jian, H. Kan, J. Kaye, Y. Kominami, N. Liang, D. Lipson, C. Macdonald, K. Maseyk, K. Mathes, M. Mauritz, M.A. Mayes, S. McNulty, G. Miao, M. Migliavacca, S. Miller, J.G. Nietz, M.B. Nilsson, A. Noormets, H. Norouzi, C.S. O'Connell, B. Osborne, C. Oyonarte, Z. Pang, M. Peichl, E. Pendall, J.F. Perez-Quezada, C.L. Phillips, R.P. Phillips, J.W. Raich, A.A. Renchon, N.K. Ruehr, E.P. Sánchez-Cañete, M. Saunders, K.E. Savage, M. Schrumppf, R.L. Scott, U. Seibt, W.L. Silver, T. Sun, W. Sun, D. Szutu, K. Takagi, M. Takagi, M. Teramoto, M.G. Tjoelker, S. Trumbore, M. Ueyama, R. Vargas, R.K. Varner, J. Verfaillie, C. Vogel, J. Wang, G. Winston, T.E. Wood, J. Wu, T. Wutzler, J. Zeng, T. Zha, Q. Zhang, J. Zou (2020). COSORE: A community database for continuous soil respiration and other soil-atmosphere greenhouse gas flux data. *Global Change Biology* doi: 10.1111/gcb.1535
195. Bolduc B, Hodgkins SB, Varner RK, Crill PM, McCalley CK, Chanton JP, Tyson GW, Riley WJ, Palace M, Duhaime MB, Hough MA, Saleska SR, Sullivan MB, Rich VI. (2020). The IsoGenie database: an interdisciplinary data management solution for ecosystems biology and environmental research. *PeerJ* 8: 9467, doi: 10.7717/peerj.9467
194. Wik, M., B.F. Thornton, R.K. Varner, C. McCalley and P.M. Crill (2020). Stable methane isotopologues from northern lakes suggest ebullition is dominated by sub-lake scale processes. *J. Geophys. Res. Biogeosci.*, doi: 10.1029/2019JG005601.
193. Järveoja, J., M.B. Nilsson, P.M. Crill and M. Peichl. (2020). Bimodal diel pattern in peatland ecosystem

- respiration rebuts uniform temperature response. *Nature Communications*, doi.org:10.1038/s41467-020-18027-1.
192. Thanh Duc, N., Silverstein, S., Wik, M., Crill, P., Bastviken, D., and Varner, R. K. (2020). Technical note: Greenhouse gas flux studies: an automated online system for gas emission measurements in aquatic environments, *Hydrol. Earth Syst. Sci.*, 24, 3417–3430, doi: 10.5194/hess-24-3417-2020.
191. Chang, K.-Y., W.J. Riley, P.M. Crill, R.F. Grant, V.I. Rich and S.R. Saleska (2020). Hysteretic temperature sensitivity of wetland CH₄ fluxes explained by substrate availability and microbial activity. *Biogeosciences* doi: 10.5194/bg-17-5849-2020.
190. Jansen, J., M. Wik, B.F. Thornton, S. MacIntyre and P.M. Crill (2020). Temperature proxies as a solution to biased sampling of lake methane emissions. *Geophys. Res. Letts.* doi: 10.1029/2020GL088647
189. Rinne, J., J.-P. Tuovinen, L. Klemedtsson, M. Aurela, J. Holst, A. Lohila, P. Weslien, P. Vestin, P. Łakomiec, M. Peichl, E.-S. Tuittila, L. Heiskanen, T. Laurila, X. Li, P. Alekseychik, I. Mammarella, L. Ström, P. Crill and M.B. Nilsson (2020). Effect of the 2018 European drought on methane and carbon dioxide exchange of northern mire ecosystems. *Phil. Trans. Roy. Soc. B*, doi:10.1098/rstb.2019.0517.
188. Jansen, J., Thornton, B. F., Cortes, A., Snöälvy, J., Wik, M., MacIntyre, S., and Crill, P. M. (2020). Drivers of diffusive lake CH₄ emissions on daily to multi-year time scales, *Biogeosciences* doi: 10.5194/bg-17-1911-2020.
187. Douglas, P.M.J., R.G. Moguel, K.M. Walter Anthony, M. Wik, P.M. Crill, K.S. Dawson, D.A. Smith, E. Yanay, M.K. Lloyd, D.A. Stolper, J.M. Eiler and A.L. Sessions (2020). Clumped isotopes link older carbon substrates with slower rates of methanogenesis in northern lakes. *Geophys. Res. Letts.* doi: 10.1029/2019GL086756
186. Berchet, A., Pison, I., Crill, P. M., Thornton, B., Bousquet, P., Thonat, T., Hocking, T., Thanwerdas, J., Paris, J.-D., and Sauniois, M (2020). Using ship-borne observations of methane isotopic ratio in the Arctic Ocean to understand methane sources in the Arctic. *Atmos. Chem. Phys.* doi.org: 10.5194/acp-20-3987-2020.
185. Thornton, B.F., J. Prytherch, K. Andersson, I.M. Brooks, D. Salisbury, M. Tjernström and P.M. Crill. (2020). Shipborne eddy covariance observations of methane fluxes constrain Arctic sea emissions. *Sci. Adv.* 6, doi: eaay7934.
184. Chang, K.-Y., W.J. Riley, E.L. Brodie, C.K. McCalley, P.M. Crill and R.F. Grant (2019). Methane production pathway regulated proximally by substrate availability and distally by temperature in a high-latitude mire complex. *J. Geophys. Res. Biogeosci.*, doi: 10.1029/2019JG005355.
183. Thornton, B.F., M.C. Geibel, P.M. Crill, C. Humborg and C.M. Mörrth. (2019). Comment on “Understanding the Permafrost–Hydrate System and Associated Methane Releases in the East Siberian Arctic Shelf.” *Geosciences* 2019, 9, 384; doi:10.3390/geosciences9090384.
182. Sauniois, M., Stavert, A. R., Poulter, B., Bousquet, P., Canadell, J. G., Jackson, R. B., Raymond, P. A., Dlugokencky, E. J., Houweling, S., Patra, P. K., Ciais, P., Arora, V. K., Bastviken, D., Bergamaschi, P., Blake, D. R., Brailsford, G., Bruhwiler, L., Carlson, K. M., Carrol, M., Castaldi, S., Chandra, N., Crevoisier, C., Crill, P. M., Covey, K., Curry, C. L., Etiope, G., Frankenberg, C., Gedney, N., Hegglin, M. I., Höglund-Isakson, L., Hugelius, G., Ishizawa, M., Ito, A., Janssens-Maenhout, G., Jensen, K. M., Joos, F., Kleinen, T., Krummel, P. B., Langenfelds, R. L., Laruelle, G. G., Liu, L., Machida, T., Maksyutov, S., McDonald, K. C., McNorton, J., Miller, P. A., Melton, J. R., Morino, I., Müller, J., Murgia-Flores, F., Naik, V., Niwa, Y., Noce, S., O'Doherty, S., Parker, R. J., Peng, C., Peng, S., Peters, G. P., Prigent, C., Prinn, R., Ramonet, M., Regnier, P., Riley, W. J., Rosentretter, J. A., Segers, A., Simpson, I. J., Shi, H., Smith, S. J., Steele, P. L., Thornton, B. F., Tian, H., Tohjima, Y., Tubiello, F. N., Tsuruta, A., Viovy, N., Voulgarakis, A., Weber, T. S., van Weele, M., van der Werf, G. R., Weiss, R. F., Worthy, D., Wunch, D., Yin, Y., Yoshida, Y., Zhang, W., Zhang, Z., Zhao, Y., Zheng, B., Zhu, Q., Zhu, Q., and Zhuang, Q. (2020). The Global Methane Budget 2000–2017, *Earth Syst. Sci. Data*, 12, 1–63, doi:10.5194/essd-12-1561-2020
181. Natali S.M., J.D. Watts, B.M. Rogers, S. Potter, S.M. Ludwig, A.-K. Selbmann, P.F. Sullivan, B.W. Abbott, K.A. Arndt, L. Birch, M.P. Björkman, A.A. Bloom, G. Celis, T.R. Christiansen, C.T. Christiansen, R-Commmane, E.J. Cooper, P. Crill, C. Czimczik, S. Davydov, J. Du, J.E. Egan, B. Elberling, E.S. Euskirchen, T. Friborg, H. Genet, M. Göckede, J.P. Goodrich, P. Grogan, M. Helbig, E.E. Jafarov, J.D. Jastrow, A.A.M. Kalhori, Y. Kim, J. Kimball, L. Kutzbach, M.J. Lara, K.S. Larsen, B.Y. Lee, Z. Liu, M.M. Loranty, M. Lund, M. Lupascu, N. Madani, A. Malhotra, R. Matamala, J. McFarland, A. D. McGuire, A. Michelsen, C. Minions, W. C. Oechel, D. Olefeldt, F.-J.W. Parmentier, N. Pirk, B. Poulter, W. Quinton, F. Rezaeizhad, D. Risk, T. Sachs, K. Schaefer, N.M. Schmidt, E.A.G. Schuur, P.R. Semenchuk, G. Shaver, O. Sonnentag, G. Starr, C.C. Treat, M.P. Waldrop, Y. Wang, J. Welker, C. Wille, X. Xu, Z. Zhang, Q. Zhuang and D. Zona 74 (2019). Large loss of CO₂ in winter observed across pan-Arctic permafrost region. *Nature Climate Change*. Doi : 10.1038/s41558-019-0592-8
180. Fahnestock, M.F., J.G Bryce, C.K. McCalley, M. Montesdeoca, S. Bai, Y. Li, C.T. Driscoll, P.M Crill, V.I. Rich and R.K. Varner (2019). Mercury reallocation in thawing subarctic peatlands. *Geochemical Perspectives Letters* 11, 33-38 doi: 10.7185/geochemlet.1922.
179. Thonat, T., M. Sauniois, I. Pison, A. Berchet, T. Hocking, B. Thornton, P. Crill, and P. Bousquet. (2019). Assessment of the theoretical limit in instrumental detectability of northern high-latitude methane sources using $\delta^{13}\text{C}_{\text{CH}_4}$ atmospheric signals. *Atmos. Phys. Chem.* 19, 12141–12161, https://doi.org/10.5194/acp-19-12141-2019.
178. Jansen, J., B.F. Thornton, M.M. Jammert, M. Wik, A. Cortés, T. Friborg, S. MacIntyre and P.M. Crill (2019). Climate-sensitive controls on large spring emissions of CH₄ and CO₂ from northern lakes. *J. Geophys. Res.*

- Biogeosci.*, doi: 10.1029/2019JG005094
177. Karlson, M.M. Gålfalk, P. Crill, P. Bousquet, M. Saunio and D. Bastviken (2019). Delineating northern peatlands using Sentinel-1 time series and terrain indices from local and regional digital elevation models. *Remote Sensing of Environment* doi: RSE-D-18-01314R2.
176. Burke, S.A., M. Wik, A. Lang, A. R. Contosta, M. Palace, P. Crill and R. K. Varner (2019). Long term measurements of methane ebullition from thaw ponds. *J. Geophys. Res. Biogeosci.*, doi: 10.1029/2018JG004786.
175. Chang, K-Y, W.J. Riley, P.M. Crill, R.F. Grant, V.I. Rich and S.R. Saleska (2019). Large carbon cycle sensitivities to climate across a permafrost thaw gradient in subarctic Sweden. *The Cryosphere*, 13: 1–17, doi: 10.5194/tc-13-1-2019.
174. Singleton, C.M., C.K. McCalley, B.J. Woodcroft, J.A. Boyd, P.N. Evans, S.B. Hodgkins, J.P. Chanton, S. Frolking, P.M. Crill, S.R. Saleska, V.I. Rich and G.W. Tyson (2018). Methanotrophy across a natural permafrost thaw environment. *Int.Soc.Microb.Ecol.J.*, doi: 10.1038/s41396-018-0065-5.
173. Wik, M., J.E. Johnson, P.M. Crill, J.P. DeStasio, L. Erickson, M.J. Halloran, M.F. Fahnestock, M.K. Crawford, S.C. Phillips and R.K. Varner (2018). Sediment characteristics and methane ebullition in three subarctic lakes. *J. Geophys. Res. Biogeosci.*, doi 10.1029/2017JG004298.
172. Emerson, J., S. Roux, J. Brum, B. Bolduc, B. Woodcroft, H.B. Jang, C. Singleton, L. Solden, A. Naas, J. Boyd, S. Hodgkins, R. Wilson, G. Trubl, S. Frolking, C-S Li, P. Pope, K. Wrighton, P. Crill, J. Chanton, S. Saleska, G. Tyson, V. Rich, and M. Sullivan (2018). Host-linked soil viral ecology along a permafrost thaw gradient. *Nat Microbiol.* doi: 10.1038/s41564-018-0190-y
171. Woodcroft, B.J, C.M. Singleton, J.A. Boyd, P.N. Evans, R.D. Hoelzle, T.O. Lamberton, C.K. McCalley, S.B. Hodgkins, R.M. Wilson, C-S Li, S.5 Frolking, J.P. Chanton, P.M. Crill, S.R. Saleska, V.I. Rich, G.W. Tyson (2018). Genome-centric view of carbon processing in thawing permafrost. *Nature*, doi 10.1038/s41586-018-0338-1.
170. Järveoja, J., M.B. Nilsson, M. Gažovič, P.M. Crill and M. Peichl (2018). Partitioning of the net CO₂ exchange using an automated chamber system reveals plant phenology as key control of production and respiration fluxes in a boreal peatland. *Global Change Biology*, doi: 10.1111/gcb.14292.
169. Gålfalk, M., M. Karlson, P. Crill, P. Bousquet and D. Bastviken (2018). Technical note: A simple approach for efficient collection of field reference data for calibrating remote sensing mapping of northern wetlands. *Biogeosci.* doi: 10.5194/bg-2017-445.
168. Sallstedt, T., S. Bengtson, C. Broman, P. M. Crill and D. E. Canfield (2018). Evidence of oxygenic phototrophy in ancient phosphatic stromatolites from the Paleoproterozoic Vindhyan and Aravalli Supergroups, India. *Geobiology*, doi: 10.1111/gbi.12274
167. Jammet, M., S. Dengel, E. Kettner, F-J W. Parmentier, M. Wik, P. Crill, and T. Friborg (2017). Year-round CH₄ and CO₂ flux dynamics in two contrasting freshwater ecosystems of the subarctic. *Biogeosciences*, doi 10.5194/bg2016-466
166. Crill, P.M. and B.F. Thornton (2017). Whither Methane in the IPCC Process? *Nat. Clim. Change* 7: 678-680.
165. Lewerentz, A, A.D.L. Skelton, J.K. Linde, J. Nilsson, Jonas, C. Möller, P.M. Crill and M.J. Spicuzza, (2017). On the association between veining and index mineral distributions in Barrow's metamorphic zones, Glen Esk, Scotland. *J.Pet.* doi: 10.1093/petrology/egx039
164. Saunio, M, P. Bousquet, B. Poulter, A. Peregon, P. Ciais, J.G. Canadell, E.J. Dlugokencky, G. Etiope, D. Bastviken, S. Houweling, G. Janssens-Maenhout, F.N. Tubiello, S. Castaldi, R.B. Jackson, M. Alexe, V. K. Arora, D.J. Beerling, P. Bergamaschi, D.R. Blake, G. Brailsford, L. Bruhwiler, C. Crevoisier, P. Crill, K. Covey, C. Frankenberg, N. Gedney, L. Höglund-Isaksson, M. Ishizawa, A. Ito, F. Joos, H-S. Kim, T. Kleinen, P. Krummel, J-F. Lamarque, R. Langenfelds, R. Locatelli, T. Machida, S. Maksyutov, J.R. Melton, I. Morino, V. Naik, S. O'Doherty, F-J. W. Parmentier, P.K. Patra, C. Peng, S. Peng, G.P. Peters, I. Pison, R. Prinn, M. Ramonet, W.J. Riley, M. Saito, M. Santini, R. Schroeder, I.J. Simpson, R. Spahni, A. Takizawa, B.F. Thornton, H. Tian, Y. Tohjima, N. Viovy, A. Voulgarakis, R. Weiss, D.J. Wilton, A. Wiltshire, D. Worthy, D.B. Wunch, X. Xu, Y. Yoshida, B. Zhang, Z. Zhang, and Q. Zhu. (2017). Variability and quasi-decadal changes in the methane budget over the period 2000-2012. *Atmos. Phys. Chem.* 17: 11135-11161 doi: 10.5194/acp-2017-296.
163. Wilson, R.M., M.M. Tfaily, V.I. Rich, J.K. Keller, S.D. Bridgman, C. Medvedeff, L. Meredith, P.J. Hanson, M. Hines, L. Pfeifer-Meister, S.R. Saleska, P. Crill, W.T. Cooper, J.P. Chanton, and J.E. Kostka (2017). Hydrogenation of Organic Matter as a Terminal Electron Sink Sustains High CO₂:CH₄ Production Ratios During Anaerobic Decomposition. *Org. Geochem.*, 112: 22-32, doi: 10.1016/j.orggeochem.2017.06.011.
162. Thonat, T., M. Saunio, P. Bousquet, I. Pison, Z. Tan, Q. Zhuang, P. Crill, B. Thornton, D. Bastviken, E. J. Dlugokencky, N. Zimov, T. Laurila, J. Hatakka, O. Hermansen, and D.E.J. Worthy (2017). Detectability of Arctic methane sources at six sites performing continuous atmospheric measurements. *Atmos.Chem.Phys.*, doi: 10.5194/acp-2017-169.
161. Mondav, R., C.K. McCalley, S.B. Hodgkins, S. Frolking, S.R. Saleska, V.I. Rich, J.P. Chanton and P.M. Crill (2017). Microbial network, phylogenetic diversity and community membership in the active layer across a permafrost thaw gradient. *Environ.Microbiol.* doi: 10.1111/1462-2920.13809.
160. Deng, J., C.K. McCalley, S. Frolking, J. Chanton, P.M. Crill, R. Varner, G. Tyson, V. Rich, M. Hines, S.R. Saleska and C.S. Li (2017). Adding Stable Carbon Isotopes Improves Model Representation of the Role of

- Microbial Communities in Peatland Methane Cycling. *Adv. Modeling Earth Sys.* doi: 10.1002/2016MS000817.
159. Prytherch, J., I.M. Brooks, P.M. Crill, B.F. Thornton, D.J. Salisbury, M. Tjernström, L.G. Anderson, M.C. Geibel and C. Humborg (2017). Direct determination of the air-sea CO₂ gas transfer velocity in Arctic sea-ice regions. *Geophys. Res. Letts.* doi: 10.1002/2017GL073593.
158. Fisher, R.E., J.L. France, D. Lowry, M. Lanoisellé, R. Brownlow, J.A. Pyle, M. Cain, N. Warwick, U.M. Skiba, J. Drewer, K.J. Dinsmore, S.R. Leeson, S. J.-B. Bauguitte, A. Wellpott, S.J. O'Shea, G. Allen, M.W. Gallagher, J. Pitt, C.J. Percival, K. Bower, C. George, G.D. Hayman, T. Aalto, A. Lohila, M. Aurela, T. Laurila, P.M. Crill, C.K. McCalley and E.G. Nisbet (2017). Measurement of the ¹³C isotopic signature of methane emissions from northern European wetlands. *Global Biogeochemical Cycles*, **31**, doi: 10.1002/2016GB005504.
157. Thornton, B.F., M. Wik, P.M. Crill, (2016). Double-counting: a challenge to the accuracy of high-latitude methane inventories. *Geophys. Res. Letts.* doi: 10.1002/2016GL071772.
156. Saunio, M., P. Bousquet, B. Poulter, A. Peregon, P. Ciais, J.G. Canadell, E.J. Dlugokencky, G. Etiope, D. Bastviken, S. Houweling, G. Janssens-Maenhout, F.N. Tubiello, S. Castaldi, R.B. Jackson, M. Alexe, V. K. Arora, D.J. Beerling, P. Bergamaschi, D.R. Blake, G. Brailsford, V. Brovkin, L. Bruhwiler, C. Crevoisier, P. Crill, C. Curry, C. Frankenberg, N. Gedney, L. Höglund-Isaksson, M. Ishizawa, A. Ito, F. Joos, H-S. Kim, T. Kleinen, P. Krummel, J-F. Lamarque, R. Langenfelds, R. Locatelli, T. Machida, S. Maksyutov, K.C. McDonald, J. Marshall, J.R. Melton, I. Morino, S. O'Doherty, F.-J. W. Parmentier, P.K. Patra, C. Peng, S. Peng, G.P. Peters, I. Pison, C. Prigent, R. Prinn, M. Ramonet, W.J. Riley, M. Saito, R. Schroder, I.J. Simpson, R. Spahni, P. Steele, A. Takizawa, B.F. Thornton, H. Tian, Y. Tohjima, N. Viovy, A. Voulgarakis, M. van Weele, G. van der Werf, R. Weiss, C. Wiedinmyer, D.J. Wilton, A. Wiltshire, D. Worthly, D.B. Wunch, X. Xu, Y. Yoshida, B. Zhang, Zhen Zhang, and Qian Zhu. (2016). The Global Methane Budget: 2000-2012. *Earth System Science Data* **8**: 697-751, doi: 10.5194/essd-8-697-2016
155. Thornton, B.F., M.C. Geibel, P.M. Crill, C. Humborg and C-M. Mörrth (2016). Methane fluxes from the sea to the atmosphere across the Siberian shelf seas. *Geophys. Res. Letts.* **43**, doi:10.1002/2016GL068977.
154. Douglas, P. M. J., D.A. Stolper, K.M. Walter Anthony, C. Paull, S. Dallimore, M. Wik., P.M. Crill, M. Winterdahl, D.A. Smith, A.L. Sessions and J.E. Eiler (2016). Diverse origins of Arctic and Subarctic methane point source emissions identified with multiply-substituted isotopologues. *Geochim. Cosmochim. Acta*, doi:10.1016/j.gca.2016.05.031.
153. Hodgkins, S.B., M. Tfaily, D.C. Podgorski, C.K. McCalley, S.R. Saleska, P.M. Crill, V.I. Rich, J.P. Chanton and W.T. Cooper (2016). Elemental composition and optical properties 1 reveal changes in dissolved organic matter along a permafrost thaw chronosequence in a subarctic peatland. *Geochim. Cosmochim. Acta*, doi: 10.1016/j.gca.2016.05.015
152. Stranne, C., M. O'Regan, G. R. Dickens, P. Crill, C. Miller, P. Preto, and M. Jakobsson (2016). Dynamic simulations of potential methane release from East Siberian continental slope sediments, *Geochem. Geophys. Geosyst.*, **17**, 872-886, doi:10.1002/2015GC006119.
151. Pirk, N., M. Mastepanov, F.-J. W. Parmentier, M. Lund, P. Crill and T. R. Christensen (2016). Calculations of automatic chamber flux measurements of methane and carbon dioxide using short time series of concentrations. *Biogeosciences*, **13**: 903-912.
150. Wik, M., B.F. Thornton, D. Bastviken, J. Uhlbäck and P.M. Crill (2016). Biased sampling of methane release from northern lakes: a problem for extrapolation. *Geophys. Res. Letts.* **43**, 1256-1262, doi:10.1002/2015GL066501.
149. Beldini, T.P., R.C. de Oliveira Jr, M.M. Keller, P.B. de Camargo, P.M. Crill, A.D. da Silva, D.B. dos Santos and D.R. de Oliveira (2015). Physical, chemical, and biological properties of soil under soybean cultivation and at an adjacent rainforest in Amazônia. *Rev. Ambient. Agua* **10**, doi: 10.4136/ambi-agua.1696.
148. Jammet, M., P. Crill, S. Dengel and T. Friborg (2015). Large methane emissions from a subarctic lake during spring thaw: mechanisms and landscape significance. *J. Geophys. Res. Biogeosci.*, **120**, 2289-2305 doi: 10.1002/2015JG003137.
147. Natchimuthu, S., I. Sundgren, M. Gålfalk, L. Klemedtsson, P. Crill, Å. Danielsson and D. Bastviken (2016). Spatio-temporal variability of lake CH₄ fluxes and its influence on annual lake estimates. *Limnol. Oceanogr.*, doi: 10.1002/lno.10222.
146. Gålfalk, M., G. Olofsson, P. Crill, and D. Bastviken (2016). Making methane visible. *Nature Climate Change*, **6**, 426-430, doi:10.1038/nclimate2877.
145. de Oliveira Jr, R.C., M. Keller, P. Crill, T. Beldini, J. van Haren and P. Camargo (2015). Trace gas fluxes from intensively managed rice and soybean fields across three growing seasons in the Brazilian Amazon. *African J. Agric.* **10**, 3748-3758, doi: 10.5897/AJAR2015.10241.
144. Hodgkins, S.B., J.P. Chanton, L.C. Langford, C.K. McCalley, S.R. Saleska, V.I. Rich, P.M. Crill, and W.T. Cooper. (2015). Soil incubations reproduce field methane dynamics in a subarctic wetland. *Biogeochemistry*, doi: 10.1007/s10533-015-0142-z
143. Thornton, B. F. and Crill, P., (2015). Arctic permafrost: Microbial lid on subsea methane. *Nature Climate Change*, **5**, 723-724. doi:10.1038/nclimate2740
142. Sundqvist, E., M. Mölder, P. Crill, N. Kljun, and A. Lindroth (2015) Methane exchange in a boreal forest estimated by gradient method. *Tellus*, **67**, 26688, doi. 10.3402/tellusb.v67.26688.
141. Thornton, B.F., M. Wik and P.M. Crill (2015) Climate-forced changes in available energy and methane

- bubbling from subarctic lakes. *Geophys. Res. Letts.* **42**: 1936-1942, doi. 10.1002/2015GL063189.
140. Torn, M.S., A. Chabbi, P. Crill, P.J. Hanson, I.A. Janssens, Y. Luo, C.H. Pries, C. Rumpel, M.W.I. Schmidt, J. Six, M. Schrumpf and B. Zhu (2015). A call for international soil experiment networks for studying, predicting, and managing global change impacts. *Soil*, **1**, 575-582, doi:10.5194/soil-1-575-2015.
139. Sundqvist, E., P. Vestin, P. Crill, T. Persson, and A. Lindroth (2014). Short-term effects of thinning, clear-cutting and stump harvesting on methane exchange in a boreal forest. *Biogeosci.*, **11**: 6095-6105, doi:10.5194/bg-11-6095-2014.
138. Deng, J., C. Li, S. Frolking, Y. Zhang, K. Bäckstrand and P. Crill (2014). Assessing effects of permafrost thaw on C fluxes based on multiyear modeling across a permafrost thaw gradient at Stordalen, Sweden. *Biogeosci.*, **11**: 4753–4770, doi:10.5194/bg-11-4753-2014
137. McCalley, C., B. Woodcroft, S. Hodgkins, R. Wehr, E. Kim, R. Mondav, P. Crill, J. Chanton, V. Rich, G. Tyson, and S.Saleska (2014). Methane dynamics regulated by microbial community response to permafrost thaw. *Nature*, doi:10.1038/nature13798.
136. Tang, J., P. Pilesjö, P.A. Miller, P.M. Crill and S. Olin (2015) Investigating the influence of two different flow routing algorithms on soil – water – vegetation interactions using the dynamic ecosystem model LPJ-GUESS. *Ecohydrology*, **8**: 570-583 doi: 10.1002/eco.1526.
135. Routh, J, G.Hugelius, P. Kuhry, T. Filley, P. Kaislahti Tillman, M. Becher and P. Crill (2014) Multi-proxy study of soil organic matter dynamics in permafrost peat deposits reveal vulnerability to climate change in the European Russian Arctic. *Chem. Geol.*, **368**:104–117, doi: 10.1016/j.chemgeo.2013.12.022.
134. Hodgkins, S.B., M.M. Tfaily, C.K. McCalley, T.A. Logan, P.M. Crill, S.R. Saleska, V.I. Rich and J.P. Chanton (2014). Changes in peat chemistry associated with permafrost thaw increase greenhouse gas production. *Proc.Nat.Acad.Sci.*, doi:10.1073/pnas.1314641111.
133. Wik, M., B.F. Thornton, D. Bastviken, S. MacIntyre, R.K. Varner, P.M. Crill (2014). Energy input is primary controller of methane bubbling in subarctic lakes. *Geophys. Res. Letts.*, doi. 10.1002/2013GL058510.
132. Turetsky, M.R., A.Kotowska, J. Bubier, N.B. Dise, P.M. Crill, E. Hornibrook, K. Minkinen, T.R. Moore, I.H. Myers-Smith, H. Nykänen, D.Olefeldt, J. Rinne, S. Saarnio, N. Shurpali, J.M. Waddington, J. White, K. Wickland, M. Wilmsking (2014). A synthesis of methane emissions from 71 northern, temperate, and 1 subtropical wetlands. *Global Change Biology* doi: 10.1111/gcb.12580.
131. de Oliveira Junior, R.C., M.M.Keller, J.F. da Fonseca Ramos, T.P. Beldini, P.M. Crill, P.B. de Camargo and J.van Haren (2015). Chemical Analysis of Rainfall and Throughfall in the Tapajós National Forest, Belterra, Pará, Brazil. *Rev. Ambient. Água.* doi: 10.4136/ambi-agua.1552.
130. Giasson, M-A, A.M. Ellison, R.D. Bowden, P.M. Crill, E.A. Davidson, J.E. Drake, S.D. Frey, J.L. Hadley, M. Lavine, J.M. Melillo, J.W. Munger, K.J. Nadelhoffer, L. Nicoll, S.V. Ollinger, K.E. Savage, P.A. Steudler, J. Tang, R.K. Varner, S.C. Wofsy, D.R. Foster and A.C. Finzi (2013). Soil respiration in a northeastern US temperate forest: a 22-year synthesis. *Ecosphere*, **4**: 140, doi:10.1890/ES13.00183.1
129. Mondav, R., B.J. Woodcroft, E.-H. Kim, C.M. McCalley, S.B. Hodgkins, P.M. Crill, J. Chanton, G.B. Hurst, N.C. VerBerkmoes, S.R. Saleska, P. Hugenholtz, V.I. Rich, and G.W. Tyson (2014). Discovery of a novel methanogen prevalent in thawing permafrost. *Nature Communications*, doi: 10.1038/ncomms4212.
128. Wik, M., P.M. Crill, R.K. Varner and D. Bastviken (2013). Multiyear measurements of ebullitive methane flux from three subarctic lakes. *J. Geophys. Res.Biogeosci.*, **118**, 1–14, doi:10.1002/jgrg.20103, 2013.
127. Horst, A, B.F. Thornton, H. Holmstrand, P. Andersson, P.M. Crill and Ö. Gustafsson (2013). Stable bromine isotopic composition of atmospheric CH₃Br. *Tellus B*, doi: 10.3402/tellusb.v65i0.21040.
126. Thornton, B.F., A. Horst, D. Carrizo, H. Holmstrand, P. Andersson, P.M. Crill and Ö. Gustafsson (2013). A high-volume cryosampler and sample purification system for bromine isotope studies of methyl bromide. *J. Atmos. Oceanic Tech.* doi:10.1175/JTECH-D-12-00228.1.
125. Duc N.T., S. Silverstein, L. Lundmark, H. Reyier, P. Crill and D. Bastviken (2013). An automated flux chamber for investigating gas flux at water – air interfaces. *Environ. Sci. Tech.*, **47**, 968-975, doi: 10.1021/es303848x.
124. Schuur EAG, Abbott BW, Bowden WB, Brovkin V, Camill P, Canadell JP, Chanton JP, Chapin III FS, Christensen TR, Ciais P, Crill PM, Crosby BT, Czimczik CI, Grosse G, Harden J, Hayes DJ, Hugelius G, Jastrow JD, Jones JB, Kleinen T, Koven CD, Krinner G, Kuhry P, Lawrence DM, McGuire AD, Natali SM, O'Donnell JA, Ping CL, Riley WJ, Rinke A, Romanovsky VE, Sannel ABK, Schädel C, Schaefer K, Sky J, Subin ZM, Tarnocai C, Turetsky M, Waldrop M, Walter-Anthony KM, Wickland KP, Wilson CJ, Zimov SA (2013) Expert assessment of potential permafrost carbon feedbacks to climate change. *Climatic Change*, **119**: 359-374, doi:10.1007/s10584-013-0730-7
123. Olefeldt, D., M.R. Turetsky, P.M. Crill and A.D. McGuire (2012). Environmental and physical controls on northern terrestrial 1 methane emissions across permafrost zones. *Global Change Biol.*, doi:10.1111/gcb12071..
122. Sundqvist, E., P. Crill, M. Mölder, P. Vestin and A. Lindroth (2012). Atmospheric methane removal by boreal plants. *Geophys. Res. Letts.* **39**, L21806, doi:10.1029/2012GL053592.
121. Christensen, T.R., M. Jackowicz-Korczynski, M. Aurela, P. Crill, M. Heliasz, M. Mastepanov and T. Friborg (2012). Monitoring the Multi-Year Carbon Balance of a Subarctic Palsa Mire with Micrometeorological Techniques. *Ambio* **41**, 207-217, doi 10.1007/s1328001203025.
120. Torbick, N., A. Persson, D. Olefeldt, S. Frolking, W. Salas, S. Hagen, P. Crill and C. Li (2012). High Resolution Mapping of Peatland Hydroperiod at a High-Latitude Swedish Mire. *Remote Sens.*, **4**, 1974-1992,

119. Hugelius, G., J. Routh, P. Kuhry and P. Crill (2012). Landscape-level assessment of degree of decomposition and thaw remobilization potential of soil organic matter in discontinuous permafrost terrain. *J. Geophys. Res. Biogeosci.*, 2011JG001873, 117, doi: 10.1029/2011JG001873.
118. Olefeldt, D., N.T. Roulet, O. Bergeron, P. Crill, K. Bäckstrand and T.R. Christensen (2012). Net carbon accumulation of a high-latitude permafrost palsa mire similar to permafrost-free peatlands. *Geophys. Res. Letts.*, 39, L03501, 2011GL050355.
117. Santoni, G.W., B.H. Lee, J.P. Goodrich, R.K. Varner, P.M. Crill, J.B. McManus, D.D. Nelson, M.S. Zahniser and S.C. Wofsy (2012). Mass Fluxes and Isofluxes of Methane (CH₄) at a New Hampshire Fen Measured by a Continuous Wave Quantum Cascade Laser Spectrometer. *J. Geophys. Res.*, 2011JD016960.
116. Sallstedt, T., P.M. Crill, T. Hode and S.L. Cady (2012). The contribution of extracellular polymeric substances (EPS) to carbonate precipitation and microbialite morphogenesis: A study from Pavilion Lake, Canada. *Palaios*, in review.
115. Wik, M., P.M. Crill, D. Bastviken, Å. Danielsson and E. Norbäck (2011). Bubbles trapped in arctic lake ice: potential implications for methane emissions. *J. Geophys. Res. Biogeosci.*, 116, G03044, doi:10.1029/2011JG001761.
114. Sun, X., P. Andersson, C. Humborg, B. Gustafsson, D.J. Conley, P. Crill and C.M. Mörtz (2011). Climate dependent diatom production is preserved in biogenic Si isotope signatures. *Biogeosciences*, 8, 3491-3499, doi: 10.5194/bg-8-3491-2011.
113. Neubeck, A., N.T. Duc, D. Bastviken, P. Crill and N. Holm (2011). Formation of H₂ and CH₄ by weathering of olivine at temperatures between 30 and 70 degrees C. *Geochem. Transactions* doi: 10.1186/1467-4866-12-6.
112. Andersson, R.A., P. Kuhry, P. Meyers, Y. Zebuhr, P. Crill and M. Mörth (2011). Impacts of paleohydrological changes on n-alkane biomarker compositions of a Holocene peat sequence in the eastern European Russian Arctic. *Org. Geochem.*, 42, 1065-1075, doi: 10.1016/j.orggeochem.2011.06.020.
111. Goodrich, J.P., R.K. Varner, S. Frolking, B.N. Duncan and P.M. Crill (2011). High frequency measurements of methane ebullition over a growing season at a temperate peatland. *Geophys. Res. Letts.*, 38, L07404, doi:10.1029/2011GL046915.
110. Bastviken, D., L.J. Tranvik, J.A. Downing, P.M. Crill and A. Enrich-Prast (2011). Freshwater methane emissions offset the continental carbon sink. *Science*, 311: 50.
109. Klemmedtsson, L., M. Ernfors, R. G. Björk, P. Weslien, T. Rütting, P. Crill and U. Sikström (2010). Reduction of greenhouse gas emissions by wood ash application to a *Picea abies* (L.) Karst. forest on a drained organic soil. *Eur. J. Soil Sci.*, 61, 734-744, doi: 10.1111/j.1365-2389.2010.01279.x
108. Bastviken, D., A.L. Santero, H. Marotta, L.Q. Pinho, D.F. Calheiros, P. Crill and A. Enrich-Prast (2010). Methane emissions from Pantanal, South America, during the low water season: Towards more comprehensive sampling. *Environ. Sci. Tech.*, 44, 5450-5455.
107. Duc, N.T., P.M. Crill and D. Bastviken (2010). Implications of temperature and sediment characteristics on methane formation and oxidation in lake sediments. *Biogeochemistry*, doi:10.1007/s10533-010-9415-8.
106. Karlsson, J., T.R. Christensen, P. Crill, J. Förster, D. Hammarlund, M. Jackowicz-Korczynski, U. Kokfelt, C. Roehm and P. Rosén (2010). Quantifying the relative importance of lake emissions in the carbon budget of a subarctic catchment *J. Geophys. Res.*, 115, G03006, doi:10.1029/2010JG001305.
105. Phillips, S.C., R.K. Varner, S. Frolking, J.W. Munger, J.L. Bubier, S.C. Wofsy and P.M. Crill (2010). Interannual, seasonal, and diel variation in soil respiration measured by autochambers along a wetland to upland slope at Harvard Forest. *J. Geophys. Res.*, G02019, doi:10.1029/2008JG000858.
104. Bäckstrand, K., P.M. Crill, M. Jackowicz-Korczynski, M. Mastepanov, T.R. Christensen and D. Bastviken (2010). Annual carbon gas budget for a subarctic peatland, Northern Sweden. *Biogeosciences*, 7, 95-108.
103. Jackowicz-Korczynski, M., T.R. Christensen, K. Bäckstrand, P.M. Crill, T. Friborg, M. Mastepanov and Lena Ström (2010) Annual cycles of methane emission from a subarctic peatland. *J. Geophys. Res.*, 115, G02009.
102. Nisbet, R.E.R., R. Fisher, R.H. Nimmo, D.S. Bendall, P.M. Crill, A.V. Gallego-Sala, E.R. Hornibrook, E. Lopez-Juez, D. Lowry, P.B.R. Nisbet, E. F. Shuckburgh, S. Sriskantharajah, C.J. Howe, and E.G. Nisbet (2009). Emission of methane by plants. *Phil. Trans. Roy. Soc. B*, doi:10.1098/rspb.2008.1731.
101. Holst, T., A. Arneeth, S. Hayward, A. Ekberg, M. Mastepanov, M. Jackowicz-Korczynski, T. Friborg, P. M. Crill and K. Bäckstrand (2010). BVOC ecosystem flux measurements at a high latitude wetland site. *Atmos. Chem. Phys.*, 10, 1617-1634.
100. Bäckstrand, K., P.M. Crill, M. Mastepanov, T.R. Christensen and D. Bastviken (2008). Nonmethane Volatile Organic Compound Flux from a Subarctic mire in Northern Sweden. *Tellus*, 60B, 226-237.
99. Bäckstrand, K., P.M. Crill, M. Mastepanov, T.R. Christensen and D. Bastviken (2008). Total hydrocarbon flux dynamics at a subarctic mire in northern Sweden. *J. Geophys. Res.*, 113: G03026, doi:10.1029/2008JG000703.
98. Petrescu, A.M. R.J. van Huissteden, M. Jackowicz-Korczynski, A. Yurova, T.R. Christensen, P.M. Crill, K. Bäckstrand and T.C. Maximov (2008). Modelling CH₄ emissions from arctic wetlands: effects of hydrological parameterization. *Biogeosciences*, 5: 111-121.
97. Christensen, T.R., T. Johansson, M. Olsrud, L. Ström, A. Lindroth, M. Mastepanov, N. Malmer, T. Friborg, P. Crill and T.V. Callaghan (2007). A catchment scale carbon and greenhouse gas budget of a subarctic landscape. *Phil. Trans. Roy. Soc. A*, 365: 1643-1656.

96. Treat, C., J.L. Bubier, R.K. Varner and P.M. Crill (2007). Timescale dependence of environmental and plant-mediated controls on CH₄ flux in a temperate fen. *J. Geophys. Res.-Biogeosci.*, 112: Art. No. G01014.
95. Johansson, T., N.Malmer, P.M. Crill, T. Friborg, J.A.Åkerman, M.Mastepanov and T.R.Christensen (2006). Decadal vegetation changes in a northern peatland, greenhouse gas fluxes and net radiative forcing, *Global Change Biology*, 12: 2352-2369.
94. do Carmo, J.B., M. Keller, J.D. Dias, P.B. de Camargo, P. Crill (2006). A source of methane from upland forests in the Brazilian Amazon. *Geophys. Res. Lett.*, 33: Art. No. L04809.
93. Bubier, J., T. Moore, K. Savage and P. Crill (2005). A comparison of methane flux in a boreal landscape between a dry and a wet year. *Global Biogeochem. Cycles*, 19: Art. No. GB1023.
92. Burrows, E.H., J.L. Bubier, A. Mosedale, G.W. Cobb, and P.M. Crill (2005). Net Ecosystem Exchange of Carbon Dioxide in a Temperate Poor Fen: A Comparison of Automated and Manual Chamber Techniques, *Biogeochemistry*, 76: 21–45.
91. Keller, M., R. Varner, J.D. Dias, H. Silva, P. Crill, R. Cosme de Oliveira Jr. and G.P. Asner (2005). Soil-Atmosphere Exchange of Nitrous Oxide, Nitric Oxide, Methane, and Carbon Dioxide in Logged and Undisturbed Forest in the Tapajos National Forest, Brazil, *Earth Interactions*, 9, 23, 1-28.
90. Silver, W.L., A.W. Thompson, M.E. McGroddy, R.K. Varner, J.D. Diaz, H. Silva, P.M. Crill and M. Keller (2005). Fine root dynamics and trace gas fluxes in two lowland tropical forest soils. *Global Change Biol.*, 11: 290-306.
89. Skelton, A., R. Whitmarsh, F. Arghe P. Crill and H. Koyi (2005). Constraining the rate and extent of mantle serpentinization from seismic and petrological data: Implications for chemosynthesis and tectonic processes. *Geofluids*, 5: 153-164.
88. White, M.L., R.K. Varner, P.M. Crill, and C.H. Mosedale (2005). Controls on the Seasonal Exchange of CH₃Br in Temperate Peatlands. *Global Biogeochem. Cycles*, 19: Art. No. GB4009.
87. Wick, B., E. Veldkamp, W.Z. de Mello, M. Keller, and P. Crill (2005). N₂O-fluxes and indices of N cycling along a pasture chronosequence in Central Amazonia, Brazil, *Biogeosciences Discussions*, 2, 499–535.
86. Martens C.S., T.J. Shay, H.P. Mendlovitz, D.M. Matross, S.R. Saleska, S.C. Wofsy, W.S. Woodward, M.C. Menton, J.M.S. De Moura, P.M. Crill, O.L.L. De Moraes, R.L. Lima (2004). Radon fluxes in tropical forest ecosystems of Brazilian Amazonia: night-time CO₂ net ecosystem exchange derived from radon and eddy covariance methods. *Global Change Biol.*, 10: 618-629.
85. Christensen, T.R., T. Johansson, J. Åkerman, M. Masteponev, N. Malmer, T. Friborg, P. Crill and B. Svensson (2004). Thawing subarctic permafrost: Effects on vegetation and methane emission. *Geophys. Res. Lett.*, 31: L04501, doi:10.1029/2003GL018680.
84. Saleska, S., S. Miller, D. Matross, M. Goulden, S. Wofsy, H. da Rocha, P. de Camargo, P. Crill, B. Daube, H. de Freitas, L. Hutyra, M. Keller, V. Kirchoff, M. Menton, J. Munger, E. Pyle, A. Rice and H. Silva (2003). Carbon in Amazon Forests, Unexpected seasonal fluxes and disturbance-induced losses. *Science*. 104: 1554-1557.
83. Varner, R.K., M. White, C.H. Mosedale and P.M. Crill (2003). Production of methyl bromide in a temperate forest soil. *Geophys. Res. Lett.*, 30: 10.1029/2002GL016592.
82. Varner, R.K., M. Keller, J. Robertson, J.D. Dias, H. Silva, P.M. Crill, M. McGroddy and W.L. Silver (2003). Experimentally induced root mortality increased nitrous oxide emission from tropical forest soils. *Geophys. Res. Lett.* 30: 10.1029/2002GL016164.
81. Bubier, J.L., P. Crill, A. Mosedale, S. Frolking and E. Linder (2003). Peatland responses to varying interannual moisture conditions as measured by automatic CO₂ chambers. *Global Biogeochemical Cycles*, 17: 1066, doi:10.1029/2002GB001946.
80. Bubier, J.L., P. Crill and A. Mosedale (2002). Net ecosystem exchange of CO₂ measured by autochambers during the snow-covered season at a temperate peatland. *Hydrol. Processes*, 16: 3667-3682.
79. Frolking, S., N.T. Roulet, T.R. Moore, P.J.H. Richard, P. Lafleur, J.L. Bubier, and P.M. Crill. (2001). Modeling Short-Term and Long-Term Carbon Accumulation in Northern Peatlands. In: *Long Term Dynamics and Contemporary Carbon Budget of Northern Peatlands*. Yu ZC, Bhatti JS and Apps MJ, (eds). Proceedings of the International Workshop on Carbon Dynamics of Forested Peatlands: Knowledge Gaps, Uncertainty and Modelling Approaches. Edmonton, Alberta 23-24 March, Canadian Forest Service.
78. Goodwin, K.D., R.K. Varner, P.M. Crill and R.S. Oremland (2001). Consumption of tropospheric methyl bromide by C1-oxidizing bacteria. *Appl. Environ. Microbiol.*, 67: 5437-5443..
77. Li, C., Y. Zhuang, M.Q. Cao, P.M. Crill, Z.Dai, S. Frolking, B. Moore, W. Salas, W. Song and X. Wang. (2001). Comparing a process-based agro-ecosystem model to the IPCC methodology for developing a national inventory of N₂O emissions from arable lands in China. *Nutr. Cycl. Agroecosystems*, 60: 159-175.
76. Weitz, A.M., E. Linder, S. Frolking, P.M. Crill and M. Keller (2001). N₂O emissions from humid tropical agricultural soils: Effects of soil moisture, texture and nitrogen availability. *Soil Biol. Biochem.*, 33: 1077-1093.
75. Frolking, S., N.T. Roulet, T.R. Moore, P. Lafleur, J.L. Bubier and P.M. Crill (2002). Modeling the seasonal to annual carbon balance of Mer Bleue Bog, Ontario, Canada, *Global Biogeochemical Cycles* 16: art. no. 1030.
74. Li, C., Y.H. Zhuang M.Q. Cao, P.M. Crill, Z.H. Dai, S. Frolking, B. Moore, W.A. Salas, W.Z. Song and X.K. Wang (2002). Modeled agricultural N₂O emissions for the U.S. and China. *Global and Planetary Change*, in press.
73. Nobre, A.D., M. Keller, P.M. Crill and R.C. Harriss (2001). Short-term nitrous oxide profile dynamics and

- emissions response to water, nitrogen and carbon additions in two tropical soils. *Biol. Fertil. Soils*, 34:363-373.
72. Crill, P.M., M. Keller, A. Weitz, B. Grauel and E. Veldkamp (2000). Intensive field measurements of nitrous oxide emissions from a tropical agricultural soil. *Global Biogeochem. Cycles*, 14: 85-96.
 71. Crill, P.M. (2000). Natural Terrestrial Sources and Sinks of Tropospheric Methyl Bromide. *IGAC Activities, Newsletter of the International Global Atmospheric Chemistry Project*, 19: 13-15.
 70. Del Grosso, S.J., W.J. Parton, A.R. Mosier, D.S. Ojima, C.S. Potter, W. Boroken, R. Brumme, K. Butterbach-Bahl, P.M. Crill, K. Dobbie and K.A. Smith (2000). General CH₄ oxidation model and comparisons of CH₄ oxidation in natural and managed systems. *Global Biogeochem. Cycles* 14: 999-1019.
 69. Potter, C. S., J. Bubier, P. Crill, and P. LaFleur (2001). Ecosystem modeling of methane and carbon dioxide fluxes for boreal forest sites. *Can. J. Forest Res.* 31: 208-223.
 68. Blaha, D., K. Bartlett, P. Czepiel, R. Harriss and P. Crill (1999). Natural and anthropogenic methane sources in New England. *Atmos. Environ.*, 33: 243-255.
 67. Bubier, J.L., S. Frolking, P.M. Crill and E. Linder (1999). Net ecosystem productivity and its uncertainty in a diverse boreal peatland. *J. Geophys. Res.*, 104: 27683-27693.
 66. Dove, A., N. Roulet, P. Crill, J. Chanton and R. Bourbonniere (1999). Methane dynamics of a northern boreal beaver pond. *Ecoscience*, 6: 577-586.
 65. Trumbore, S.E., J.L. Bubier, J.W. Harden and P.M. Crill (1999). Carbon cycling in boreal wetlands: A comparison of three approaches. *J. Geophys. Res.*, 104: 27673-27682.
 64. Varner, R.K., P.M. Crill, R.W. Talbot and J.H. Shorter (1999). An estimate of the uptake of atmospheric methyl bromide by agricultural soils. *Geophys. Res. Letts.*, 26: 727-730.
 63. Varner, R.K., P.M. Crill and R.W. Talbot (1999). Wetlands: A potentially significant source of atmospheric methyl bromide and methyl chloride. *Geophys. Res. Letts.*, 26: 2433-2436.
 62. Bubier, J.L., P.M. Crill, T.R. Moore, K. Savage, and R.K. Varner. (1998). Seasonal patterns and controls on net ecosystem CO₂ exchange in a boreal peatland complex, *Global Biogeochem. Cycles*, 12: 703-714.
 61. Frolking, S., J. Bubier, T. Moore, T. Ball, L. Bellisario, A. Bhardwaj, P. Carroll, P. Crill, P. LaFleur, J. McCaughey, N. Roulet, A. Suyker, S. Verma, J. Waddington, and G. Whiting. (1998). The relationship between ecosystem productivity and photosynthetically active radiation for northern peatlands, *Global Biogeochem. Cycles*, 12: 115-126.
 60. Goulden, M.L., S.C. Wofsy, J.W. Harden, S.E. Trumbore, P.M. Crill, S.T. Gower, T. Fries, B.C. Daube, S.M. Fan, D.J. Sutton, A. Bazzazz and J.W. Munger (1998). Sensitivity of boreal forest carbon balance to soil thaw. *Science*, 279: 214-217.
 59. Hines, M.E., P.M. Crill, R.K. Varner, R.W. Talbot, J.H. Shorter, C.E. Kolb and R.C. Harriss (1998). Rapid consumption of low concentrations of methyl bromide by soil bacteria. *Appl. Environ. Microbiol.*, 64: 1864-1870.
 58. Moosavi, S and P.M. Crill (1998). CH₄ oxidation by tundra wetlands as measured by a selective inhibitor technique. *J. Geophys. Res.*, 103: 29093-29106.
 57. Shipham, M.C., K.B. Bartlett, P.M. Crill, R.C. Harriss and D. Blaha (1998). Atmospheric methane measurements in central New England: An analysis of the long term trend and the seasonal and diurnal cycles. *J. Geophys. Res.*, 103: 10621-10630.
 56. Shipham, M.C., P.M. Crill, K.B. Bartlett, A.H. Goldstein, P.M. Czepiel, R.C. Harriss and D. Blaha (1998). Atmospheric methane measurements in central New England: An assessment of regional transport from surrounding sources. *J. Geophys. Res.*, 103: 21985-22000.
 55. Weitz, A.M., E. Veldkamp, M. Keller, J. Neff and P.M. Crill (1998). Nitrous oxide, nitric oxide and methane fluxes from soils following clearing and burning of tropical secondary forest. *J. Geophys. Res.*, 103: 28047-28058.
 54. Bubier, J., B. Rock and P.M. Crill (1997). Spectral reflectance measurements of boreal wetland and forest mosses. *J. Geophys. Res.*, 102: 29483-29494.
 53. Carroll, P.J. and P.M. Crill (1997). Carbon balance of a temperate poor fen. *Global Biogeochem. Cycles*, 11: 349-356.
 52. Goulden, M.L. and P.M. Crill (1997). Automated measurements of CO₂ exchange at the moss surface of a black spruce forest. *Tree Phys.*, 17: 537-542.
 51. Lamb, B.K., H. Westberg, R. Kashinkunti, P.M. Czepiel, P.M. Crill, R.C. Harriss, C.E. Kolb, J. B. McManus and R. Lott (1997). Measurements of methane oxidation in soils for simulated natural gas leakage from underground pipelines. *Environ. Sci. Tech.*, in press.
 50. Lavigne, M.B., M.G. Ryan, D.E. Anderson, D.D. Baldocchi, P.M. Crill, D. Fitzjarrald, M.L. Goulden, S.T. Gower, J.M. Massheder, J.H. McCaughey, M. Rayment and R.G. Striegl (1997). Comparing nocturnal eddy covariance measurements to estimates of ecosystem respiration made by scaling chamber measurements at six coniferous boreal sites. *J. Geophys. Res.*, 102: 28977-28986.
 49. Moosavi, S and P.M. Crill (1997). Controls on CH₄ and CO₂ emissions along two moisture gradients in the Canadian boreal zone. *J. Geophys. Res.*, 102: 29261-29278.
 48. Norman, J.M., C.J. Kucharik, S.T. Gower, D.D. Baldocchi, P.M. Crill, M. Rayment, K. Savage and R.G. Striegl (1997). A comparison of six methods for measuring soil surface carbon dioxide fluxes. *J. Geophys. Res.*, 102: 28771-28778.
 47. Roulet, N.T., P.M. Crill, N.T. Comer, A.E. Dove and R.A. Bourbonniere (1997). CO₂ and CH₄ between a

- boreal beaver pond and the atmosphere. *J. Geophys. Res.*, **102**: 29313-29320.
46. Savage, K., T.R. Moore and P.M. Crill (1997). Methane and carbon dioxide exchanges between the atmosphere and the northern boreal forest soils. *J. Geophys. Res.*, **102**: 29279-29288.
45. Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ransom, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland and F.E. Guertin (1997). BOREAS in 1997: Experiment overview, scientific results and future directions. *J. Geophys. Res.*, **102**: 28731-28769.
44. Kerwin, R.A., P.M. Crill, R.W. Talbot, M.E. Hines, J.H. Shorter, C.E. Kolb and R.C. Harriss (1996). Determination of atmospheric methyl bromide by cryotrapping/gas chromatography and application to soil kinetic studies using a dynamic dilution system. *Anal. Chem.*, **68**: 899-903.
43. Melloh, R.A. and P.M. Crill (1996). Winter methane dynamics beneath ice and in snow in a temperate poor fen. *Hydrol. Processes*, **2**: 947-956.
42. Crill, P.M. (1996). Latitudinal differences in methane flux from natural wetlands. in Cycling of Reduced Gases in the Hydrosphere, Adams, D., P. Crill and S. Seitzinger (eds.) E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart. Mitt. Internat. Verein. Limnol. **25**: 163-171.
41. Czepiel, P.M., B. Mosher, P.M. Crill and R.C. Harriss (1996). Quantifying the effect of oxidation on landfill methane emissions. *J. Geophys. Res.*, **101**: 16721-16729.
40. Czepiel, P., E. Douglas, R. Harriss and P. Crill (1996). Measurements of N₂O from composted organic wastes. *Environ. Sci. Tech.*, **30**: 2519-2525.
39. Frolking, S., M. Goulden, S. Wofsy, S-M Fan, D. Sutton, J. Munger, A. Bazzaz, B. Daube, P. Crill, J. Aber, L. Band, X. Wang, K. Savage, T. Moore and R. Harriss (1996). Modelling temporal variability in the carbon balance of a spruce/moss boreal forest. *Global Change Biol.*, **2**: 343-366.
38. Moosavi, S.C., P.M. Crill, E.R. Pullman, D.W. Funk and K.M. Peterson (1996). Controls on CH₄ flux from an Alaskan boreal wetland. *Global Biogeochem. Cycles*, **10**: 287-296.
37. Melloh, R.A. and P.M. Crill (1996). Methane dynamics beneath peat-ice and in snow in a temperate poor fen. *Global Biogeochem. Cycles*, **10**: 247-254.
36. Crill, P.M., J.H. Butler, D.J. Cooper and P.C. Novelli (1995). Standard analytical methods for trace gas measurement. Chapt 6 in Biogenic Trace Gases: Measuring Emissions from Soil and Water, P. Matson and R. Harriss, eds., Blackwell Science, Ltd, Oxford, pp 164-205.
35. Shorter, J.H., C.E. Kolb, P.M. Crill, R.A. Kerwin, R.T. Talbot, R.C. Harriss and M.E. Hines (1995). An effective soil surface sink for atmospheric methyl bromide. *Nature*, **377**: 717-719.
34. Czepiel, P., P.M. Crill and R. Harriss (1995) Environmental factors influencing the variability of methane oxidation in temperate zone soils. *J. Geophys. Res.*, **100**: 9359-9364.
33. Czepiel, P., P.M. Crill and R. Harriss (1995) Nitrous oxide emissions from municipal wastewater treatment. *Environ. Sci. Tech.*, **29**: 2352-2356.
32. Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill J. Ransom, D. Lettenmaier and D.E. Wickland (1995). The Boreal Ecosystem-Atmosphere Study (BOREAS): An overview and early results from the 1994 field year. *Bull. Am. Met. Soc.*, **76**: 1549-1577.
31. Bubier, J.L., T.R. Moore, L. Bellisario, N.T. Comer and P.M. Crill (1995). Ecological controls on methane emissions from a northern peatland complex in the zone of discontinuous permafrost, Manitoba, Canada. *Global Biogeochem. Cycles*, **2**: 455-470.
30. Roulet, N., P. Crill, G. Edwards and R. Stewart (1995). Role of boreal soil's methane consumption. *Delta*, **6**: 1-2.
29. Frolking, S. and P.M. Crill (1994). Climate controls on methane flux from a poor fen in southeastern, New Hampshire: Measurement and modelling. *Global Biogeochem. Cycles*, **8**: 385-398.
28. Crill, P.M., P.J. Martikainen, H. Nykänen and J. Silvola (1994). Temperature and N fertilization effects on methane oxidation in a drained peatland soil. *Soil Biol. Biochem.*, **26**: 1331-1339.
27. Moore, K.E., D.R. Fitzjarrald, S.C. Wofsy, B.C. Daube, J.W. Munger, P.C. Bakwin and P.M. Crill (1994). A season of heat, water vapor, total hydrocarbon and ozone fluxes at a subarctic fen. *J. Geophys. Res.*, **99**: 1937-1952.
26. Funk, D.W., K.P. Peterson, E.R. Pullman, P.M. Crill, W.B. Whitman and W.D. Billings (1994). The influence of water table on carbon dioxide, carbon monoxide and methane fluxes from taiga bog microcosms. *Global Biogeochem. Cycles*, **8**: 271-278.
25. Tyler, S.C., P.M. Crill and G.W. Brailsford (1994). ¹³C/¹²C fractionation of methane during oxidation in a temperate forested soil. *Geochim. Cosmochim. Acta*, **58**: 1625-1633.
24. Crill, P.M., K.B. Bartlett and N.T. Roulet (1993). Methane emissions from boreal peatlands. *Suo*, **43**: 173-182.
23. Czepiel, P., P.M. Crill and R.C. Harriss (1993). Methane emissions from the Durham, New Hampshire wastewater treatment plant. *Environ. Sci. Tech.*, **27**: 2472-2477.
22. Czepiel, P., P.M. Crill, R. Harriss, R. Kerwin, H. Westberg, B. Lamb, B.K., C. Kolb and B. McManus (1993). Consumption of methane from pipeline leaks: Are emissions estimates too high? *Proceedings of the International Workshop on Environ. and Econ. Impacts of Natural Gas Losses*, Prague, Czech Republic.
21. Harriss, R., K. Bartlett, S. Frolking and P. Crill (1993). Methane emissions from northern high latitude wetlands. in Biogeochemistry of Global Change: Radiatively Active Trace Gases, R.S. Oremland, ed., Chapman and Hall, NY.
20. Hines, M.E., R.E. Pelletier and P.M. Crill (1993). Emissions of sulfur gases from marine and freshwater wetlands of the Florida Everglades: Rates and extrapolation using remote sensing. *J. Geophys. Res.*, **98**: 8991-

19. Martikainen, P.J., H. Nykänen, P.M. Crill and J. Silvola (1993). The effect of changing water table on nitrous oxide fluxes from northern peatlands. *Nature*, **366**: 51-53.
18. Martikainen, P.J., H. Nykänen, P.M. Crill and J. Silvola (1993). Observations of the effect of changing water table on methane fluxes at two Finnish mire sites. *Suo*, **43**: 237-240.
17. Scranton, M.I., P.M. Crill, M. de Angelis, P. Donaghay and J. Sieburth (1993). The importance of episodic events in controlling flux of methane from the anoxic zone of the lower basin of the Pettaquamscutt River estuary. *Global Biogeochem. Cycles*, **7**:491-508.
16. Bartlett, K.B., P.M. Crill, R.L. Sass, R.C. Harriss and N. Dise (1992). Methane emissions from tundra environments in the Yukon-Kuskokwim Delta, Alaska. *J. Geophys. Res.*, **97**: 16645-16660.
15. Chanton, J.P., C.S. Martens, C.A. Kelley, P.M. Crill and W.J. Showers (1992). Methane transport mechanisms and isotopic fractionation in emergent macrophytes of an Alaskan tundra lake. *J. Geophys. Res.*, **97**: 16681-16688.
14. Chanton, J.P., G.J. Whiting, W.J. Showers and P.M. Crill (1992). Methane flux from *Peltandra virginica*: Stable isotope tracing and chamber effects. *Global Biogeochem. Cycles*, **6**: 15-31.
13. Crill, P.M. (1991). Seasonal patterns of methane uptake and carbon dioxide release by a temperate woodland soil. *Global Biogeochem. Cycles* **5**: 319-334.
12. Crill, P.M., R.C. Harriss and K.B. Bartlett (1991). Methane fluxes from terrestrial environments. in Microbial Production and Consumption of Trace Gases, W. Whitman (ed.) American Society of Microbiology, Washington, DC.
11. McManus, J.B., C.E. Kolb, P.M. Crill, R.C. Harriss, B. Mosher, B. Lamb, K. Maas and J. Ryddock (1991). Measuring urban fluxes of methane. *World Resource Rev.* **3**: 162-182.
10. Bartlett, K.B., P.M. Crill, J.A. Bonassi, J.E. Richey, R.C. Harriss (1990). Methane flux from the Amazon River floodplain: emissions during rising water. *J. Geophys. Res.*, **95**: 16773-16788.
9. Wilson, J.O., P.M. Crill, K.B. Bartlett, D.I. Sebacher, R.C. Harriss, R.L. Sass (1989). Seasonal variation of methane emissions from a temperate Virginia swamp. *Biogeochemistry*, **8**: 55-71.
8. Chanton, J., P.M. Crill, K. Bartlett and C. Martens (1989). Amazon capims (floating grassmats): a source of ¹³C enriched methane to the troposphere. *Geophys. Res. Letts.* **16**: 799-802.
7. Crill, P.M., K. Bartlett, J. Wilson, D. Sebacher, R. Harriss, J. Melack, S. MacIntyre, L. Lesack and L. Smith-Morrill (1988). Tropospheric methane from an Amazonian floodplain lake. *J. Geophys. Res.*, **93**: 1564-1570.
6. Bartlett, K., P. Crill, D. Sebacher, R. Harriss, J. Wilson and J. Melack (1988). Methane flux from the central Amazonian floodplain. *J. Geophys. Res.*, **93**: 1571-1582.
5. Harriss, R.C., D.I. Sebacher, K.B. Bartlett, D.S. Bartlett and P.M. Crill (1988). Methane flux from the Florida Everglades. *Global Biogeochemical Cycles*, **2**: 231-243.
4. Crill, P.M., K.B. Bartlett, D.I. Sebacher, R.C. Harriss, E.S. Verry, E. Gorham, L. Madzar and J. Sanner (1988). Methane flux from Minnesota wetlands. *Global Biogeochemical Cycles*, **2**: 371-384.
3. Crill, P.M. and C.S. Martens (1987). Biogeochemical cycling in an organic-rich coastal marine basin 6. Temporal and spatial variations in sulfate reduction rates. *Geochim. Cosmochim. Acta* **51**: 1175-1186.
2. Crill, P.M. and C.S. Martens (1986). Methane production from bicarbonate and acetate in an anoxic marine sediment. *Geochim. Cosmochim. Acta* **50**: 2089-2097.
1. Crill, P.M. and C.S. Martens (1983). Spatial and temporal fluctuations of methane production in anoxic coastal marine sediments. *Limnol. Oceanogr.* **28**: 1117-1130.